

Predicted Tide Heights - January 2026, 01 - 15 (UTC +09:30)
(m)

THU	FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU																				
1 Jan 2026	time	ht	2 Jan 2026	time	ht	3 Jan 2026	time	ht	4 Jan 2026	time	ht	5 Jan 2026	time	ht	6 Jan 2026	time	ht	7 Jan 2026	time	ht	8 Jan 2026	time	ht	9 Jan 2026	time	ht	10 Jan 2026	time	ht	11 Jan 2026	time	ht	12 Jan 2026	time	ht	13 Jan 2026	time	ht	14 Jan 2026	time	ht	15 Jan 2026	time	ht			
0000	3.47		0000	3.37		0000	3.08		0000	2.64		0000	2.16		0000	1.80		0000	1.68		0000	1.81		0000	2.09		0000	2.39		0000	2.65		0000	2.84		0000	2.97		0000	3.04		0000	3.06				
0100	3.39	HW0100	3.49		0100	3.37		0100	3.05		0100	2.57		0100	2.07	LW0020	1.63		0100	1.69		0100	1.56		0100	1.67		0100	1.94		0100	2.23		0100	2.47		0100	2.68		0100	2.84		0100	2.96			
0200	3.14	0200	3.43		0200	3.53		0200	3.39		0200	3.04		0200	2.55	0200	2.06	LW0110	1.55	LW0150	1.55		0200	1.70		0200	1.56		0200	1.65		0200	1.87		0200	2.12		0200	2.35		0200	2.58		0200	2.79		
0300	2.76	0300	3.18		0300	3.49		0300	3.58		0300	3.42		0300	3.05	0300	2.58	0300	2.12	0300	1.79		0300	1.79		0300	1.79		0300	1.64		0300	1.69		0300	1.84		0300	2.05		0300	2.28		0300	2.54		
0400	2.30	0400	2.77		0400	3.24		0400	3.56		0400	3.63		0400	3.44	0400	3.08	0400	2.63	0400	2.22		0400	2.22		0400	2.22		0400	1.91		0400	1.75	LW0400	1.73		0400	1.83		0400	2.01		0400	2.24			
0500	1.80	0500	2.25		0500	2.78		0500	3.28		0500	3.60		0500	3.65	0500	3.45	0500	3.08	0500	2.67		0500	2.67		0500	2.67		0500	2.29		0500	1.99	0500	1.81		0500	1.75		0500	1.80		0500	1.96			
0600	1.35	0600	1.68		0600	2.20		0600	2.79		0600	3.30		0600	3.60	0600	3.60	0600	3.40	0600	3.05		0600	2.67		0600	2.67		0600	2.29		0600	1.99	0600	1.81		0600	1.81		0600	1.71		0600	1.73			
0700	1.06	0700	1.15		0700	1.56		0700	2.15		0700	2.77		0700	3.28	0700	3.54	HW0700	3.53		0700	3.30		0700	3.30		0700	3.30		0700	2.97		0700	2.61	0700	2.26		0700	1.95		0700	1.73		0700	1.60		
LW0730	0.99																																														
0800	0.99		0800	0.80		0800	0.97		0800	1.46		0800	2.10		0800	2.73	0800	3.19	0800	3.40		0800	3.40		0800	3.37		0800	3.15		0800	2.84	0800	2.50		0800	2.16		0800	1.84		0800	1.59				
0900	1.16	0900	0.72		0900	0.59		0900	0.85		0900	1.40		0900	2.06	0900	2.64	0900	3.04	0900	3.21		0900	3.21		0900	3.21		0900	3.16		0900	2.97		0900	2.70		0900	2.38		0900	2.03		0900	1.69		
1000	1.51	1000	0.93		1000	0.53		1000	0.48		1000	0.81		1000	1.39	1000	2.01	1000	2.52	1000	2.85		1000	2.85		1000	2.85		1000	3.00		1000	2.97		1000	2.82		1000	2.57		1000	2.27		1000	1.91		
1100	1.97	1100	1.36		1100	0.81		1100	0.48		1100	0.50		1100	0.86	1100	1.41	1100	1.97	1100	2.40		1100	2.40		1100	2.40		1100	2.69		1100	2.83		1100	2.84		1100	2.72		1100	2.50		1100	2.21		
1200	2.46	1200	1.94		1200	1.35		1200	0.85		1200	0.58		1200	0.64	LW1200	0.64	1200	0.99	1200	1.49		1200	1.49		1200	1.49		1200	2.34		1200	2.61	1200	2.77		1200	2.80		1200	2.71		1200	2.51			
1300	2.89	1300	2.54		1300	2.03		1300	1.48		1300	1.05		1300	0.84	1300	0.90	1300	1.21	1300	1.62		1300	1.62		1300	1.62		1300	2.04		1300	2.37	1300	2.64		1300	2.81		1300	2.86		1300	2.79			
1400	3.18	1400	3.06		1400	2.71		1400	2.23		1400	1.75		1400	1.38	1400	1.20	1400	1.25	1400	1.49		1400	1.49		1400	1.49		1400	1.84		1400	2.20	1400	2.51		1400	2.76		1400	2.94		1400	2.99			
1500	3.30	1500	3.40		1500	3.27		1500	2.93		1500	2.50		1500	2.10	1500	1.79	1500	1.63	1500	1.65		1500	1.65		1500	1.65		1500	1.83		1500	2.11		1500	2.43		1500	2.71		1500	2.95		1500	3.10		
HW1510	3.31																																														
1600	3.29	HW1600	3.55		1600	3.62		1600	3.48		1600	3.18		1600	2.81	1600	2.47	1600	2.22	1600	2.07		1600	2.22		1600	2.07		1600	2.06		1600	2.18		1600	2.41		1600	2.68		1600	2.92		1600	3.13		
1700	3.18	1700	3.52		1700	3.74		1700	3.79		1700	3.66		1700	3.39	1700	3.09	1700	2.82	1700	2.61		1700	2.82		1700	2.61		1700	2.47		1700	2.42	1700	2.49		1700	2.66		1700	2.87		1700	3.08			
1800	2.98	1800	3.34		1800	3.65		1800	3.84		1800	3.87		1800	3.76	1800	3.56	1800	3.32	1800	3.11		1800	3.32		1800	3.11		1800	2.93		1800	2.78	1800	2.69		1800	2.70		1800	2.80		1800	2.96			
1900	2.73	1900	3.04		1900	3.38		1900	3.65		1900	3.80		1900	3.85	1900	3.78	1900	3.64	1900	3.47		1900	3.64		1900	3.47		1900	3.31		1900	3.13	1900	2.96		1900	2.83		1900	2.78		1900	2.81			
2000	2.58	2000	2.68		2000	2.94		2000	3.25		2000	3.49		2000	3.65	2000	3.72	2000	3.71	2000	3.57		2000	3.71		2000	3.57		2000	3.52		2000	3.38		2000	3.21		2000	3.02		2000	2.83		2000	2.71		
LW2010	2.57																																														
2100	2.62	2100	2.46		2100	2.49		2100	2.71		2100	2.98		2100	3.23	2100	3.41	2100	3.52	2100	3.57		2100	3.52		2100	3.57		2100	3.54		2100	3.46		2100	3.34		2100	3.17		2100	2.95		2100	2.71		
2200	2.84	2200	2.49		2200	2.25		2200	2.21		2200	2.38		2200	2.65	2200	2.92	2200	3.13	2200	3.29		2200	3.13		2200	3.29		2200	3.37		2200	3.38		2200	3.33		2200	3.23		2200	3.06		2200	2.73		
2300	3.12	2300	2.74		2300	2.32		2300	2.00		2300	1.91		2300	2.06	2300	2.34	2300	2.63	2300	2.87		2300	2.63		2300	2.87		2300	3.05		2300	3.16		2300	3.20		2300	3.18		2300	3.10		2300	2.83		
Datum: LAT (~2.47 m < MSL)																																															

Time Zone: UTC +09:30 hours Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - January 2026, 16 - 31 (UTC +09:30)

(m)

	FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT	
	16 Jan 2026	17 Jan 2026	17 Jan 2026	18 Jan 2026	18 Jan 2026	19 Jan 2026	19 Jan 2026	20 Jan 2026	20 Jan 2026	21 Jan 2026	21 Jan 2026	22 Jan 2026	22 Jan 2026	23 Jan 2026	23 Jan 2026	24 Jan 2026	24 Jan 2026	25 Jan 2026	25 Jan 2026	26 Jan 2026	26 Jan 2026	27 Jan 2026	27 Jan 2026	28 Jan 2026	28 Jan 2026	29 Jan 2026	29 Jan 2026	30 Jan 2026	30 Jan 2026	31 Jan 2026	31 Jan 2026	
	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
	0000	3.02	0000	2.89	0000	2.67	0000	2.38	0000	2.08	0000	1.81	0000	1.62	0000	1.57	0000	1.66	0000	1.87	0000	2.15	0000	2.48	0000	2.83	0000	3.12	0000	3.26	0000	3.19
HW0010	3.03												LW0010	1.61	LW0040	1.46													HW0030	3.22		
0100	3.03	0100	3.02	0100	2.92	0100	2.70	0100	2.41	0100	2.07	0100	1.74	0100	1.48	0100	1.36	0100	1.43	0100	1.66	0100	1.98	0100	2.37	0100	2.76	0100	3.08	0100	3.22	
		HW0140	3.07													LW0120	1.34	LW0150	1.27													
0200	2.96	0200	3.07	0200	3.10	0200	3.01	0200	2.81	0200	2.51	0200	2.14	0200	1.76	0200	1.43	0200	1.27	0200	1.32	0200	1.55	0200	1.92	0200	2.35	0200	2.79	0200	3.13	
				HW0250	3.17															LW0240	1.24											
0300	2.80	0300	3.02	0300	3.17	0300	3.22	0300	3.15	0300	2.95	0300	2.64	0300	2.26	0300	1.83	0300	1.47	0300	1.26	0300	1.29	0300	1.54	0300	1.94	0300	2.42	0300	2.90	
						HW0350	3.28														LW0320	1.25										
0400	2.54	0400	2.84	0400	3.10	0400	3.27	0400	3.34	0400	3.28	0400	3.09	0400	2.78	0400	2.37	0400	1.92	0400	1.52	0400	1.28	0400	1.31	0400	1.57	0400	2.02	0400	2.55	
							HW0430	3.37														LW0420	1.27									
0500	2.21	0500	2.52	0500	2.86	0500	3.14	0500	3.34	0500	3.43	0500	3.39	0500	3.19	0500	2.86	0500	2.43	0500	1.96	0500	1.54	0500	1.29	0500	1.32	0500	1.63	0500	2.13	
								HW0510	3.44	HW0550	3.48													LW0540	1.25							
0600	1.88	0600	2.13	0600	2.46	0600	2.81	0600	3.12	0600	3.36	0600	3.48	0600	3.44	0600	3.23	0600	2.87	0600	2.41	0600	1.91	0600	1.48	0600	1.25	0600	1.31	0600	1.68	
													HW0630	3.48																		
0700	1.61	0700	1.73	0700	1.98	0700	2.32	0700	2.69	0700	3.04	0700	3.31	0700	3.45	0700	3.41	0700	3.18	0700	2.78	0700	2.29	0700	1.77	0700	1.34	0700	1.14	0700	1.27	
																HW0710	3.42									LW0710	1.13					
0800	1.44	0800	1.42	0800	1.53	0800	1.77	0800	2.11	0800	2.51	0800	2.90	0800	3.21	0800	3.35	HW0800	3.30	0800	3.03	0800	2.60	0800	2.08	0800	1.55	0800	1.15	0800	1.01	
LW0830	1.41																	HW0840	3.12										LW0830	0.95		
0900	1.42	0900	1.24	0900	1.19	0900	1.28	0900	1.52	0900	1.89	0900	2.32	0900	2.74	0900	3.06	0900	3.20	0900	3.12	0900	2.83	0900	2.38	0900	1.84	0900	1.32	0900	0.96	
		LW0920	1.22																													
1000	1.56	1000	1.26	LW1000	1.05	1000	0.97	1000	1.05	1000	1.30	1000	1.70	1000	2.15	1000	2.58	1000	2.89	1000	3.02	HW1000	2.93	1000	2.62	1000	2.16	1000	1.63	1000	1.13	
						LW1030	0.91																									
1100	1.85	1100	1.48	1100	1.15	1100	0.93	1100	0.83	1100	0.90	1100	1.17	1100	1.58	1100	2.05	1100	2.46	1100	2.76	1100	2.87	1100	2.78	1100	2.48	1100	2.02	1100	1.51	
								LW1110	0.82	LW1140	0.80												HW1140	2.82								
1200	2.22	1200	1.87	1200	1.50	1200	1.16	1200	0.92	1200	0.81	1200	0.89	1200	1.17	1200	1.58	1200	2.03	1200	2.43	1200	2.71	1200	2.82	1200	2.73	1200	2.44	1200	2.00	
												LW1220	0.87	LW1250	1.03																	
1300	2.60	1300	2.33	1300	2.00	1300	1.65	1300	1.32	1300	1.07	1300	0.96	1300	1.04	1300	1.30	1300	1.70	1300	2.13	1300	2.50	1300	2.77	1300	2.89	1300	2.80	1300	2.53	
																LW1320	1.27															
1400	2.93	1400	2.77	1400	2.54	1400	2.25	1400	1.92	1400	1.61	1400	1.38	1400	1.26	1400	1.32	LW1400	1.56	1400	1.93	1400	2.34	1400	2.69	1400	2.95	1400	3.06	1400	2.98	
																		LW1420	1.90							HW1440	2.97					
1500	3.17	1500	3.13	1500	3.00	1500	2.82	1500	2.57	1500	2.29	1500	2.01	1500	1.79	1500	1.67	1500	1.70	1500	1.91	LW1500	2.25	1500	2.63	1500	2.97	1500	3.20	1500	3.30	
																							LW1550	2.60			HW1540	3.25				
1600	3.27	1600	3.34	1600	3.34	1600	3.26	1600	3.13	1600	2.93	1600	2.69	1600	2.45	1600	2.24	1600	2.11	1600	2.12	1600	2.29	1600	2.95	1600	2.89	1600	3.25	1600	3.46	
HW1610	3.28	HW1640	3.40																											HW1620	3.48	
1700	3.26	1700	3.40	1700	3.49	1700	3.53	1700	3.50	1700	3.41	1700	3.26	1700	3.07	1700	2.86	1700	2.67	1700	2.52	1700	2.49	1700	2.62	1700	2.89	1700	3.20	1700	3.46	
						HW1710	3.50	HW1740	3.59																							
1800	3.13	1800	3.30	1800	3.45	1800	3.58	HW1800	3.65	1800	3.67	1800	3.62	1800	3.52	1800	3.37	1800	3.20	1800	3.01	1800	2.83	1800	2.75	1800	2.82	1800	3.04	1800	3.31	
										HW1820	3.69	HW1850	3.72													LW1820	2.81					
1900	2.90	1900	3.05	1900	3.22	1900	3.40	1900	3.55	1900	3.65	1900	3.71	HW1900	3.72	1900	3.67	1900	3.57	1900	3.41	1900	3.21	1900	2.99	1900	2.84	1900	2.83	1900	2.99	
																HW1930	3.72															
2000	2.67	2000	2.72	2000	2.85	2000	3.03	2000	3.22	2000	3.39	2000	3.52	2000	3.63	2000	3.70	HW2000	3.71	2000	3.64	2000	3.49	2000	3.25	2000	2.96	LW2000	2.72	2000	2.64	
2100	2.55	2100	2.45	2100	2.45	2100	2.56	2100	2.74	2100	2.93	2100	3.11	2100	3.28	2100	3.44	2100	3.58	2100	3.64	2100	3.60	2100	3.43	2100	3.13	2100	2.77	2100	2.45	
LW2110	2.54	LW2150	2.35																											LW2120	2.43	
2200	2.58	2200	2.35	2200	2.19	2200	2.15	2200	2.22	2200	2.37	2200	2.56	2200	2.76	2200	2.98	2200	3.21	2200	3.41	2200	3.52	2200	3.48	2200	3.27	2200	2.91	2200	2.47	
						LW2230	2.15																									
2300	2.72	2300	2.45	2300	2.18	2300	1.97	2300	1.85	2300	1.87	2300	1.99	2300	2.19	2300	2.42	2300	2.70	2300	2.99	2300	3.24	2300	3.37	2300	3.32	2300	3.07	2300	2.65	
						LW2310	1.96	LW2340	1.78																							

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portland Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - February 2026, 01 - 15 (UTC +09:30) (m)

SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN
1 Feb 2026	2 Feb 2026	3 Feb 2026	4 Feb 2026	5 Feb 2026	6 Feb 2026	7 Feb 2026	8 Feb 2026	9 Feb 2026	10 Feb 2026	11 Feb 2026	12 Feb 2026	13 Feb 2026	14 Feb 2026	15 Feb 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	2.90	0000	2.45	0000	1.93	0000	1.49	0000	2.07	0000	2.31	0000	2.52	0000
0100	3.13	0100	2.82	0100	2.36	0100	1.85	0100	1.42	0100	1.20	0100	1.21	0100
0200	3.28	0200	3.17	0200	2.85	0200	2.39	0200	1.90	0200	1.50	0200	1.28	0200
0300	3.27	0300	3.41	0300	3.28	0300	2.95	0300	2.51	0300	2.06	0300	1.69	0300
0400	3.07	0400	3.45	0400	3.57	0400	3.42	0400	3.08	0400	2.66	0400	2.25	0400
0500	2.71	0500	3.25	0500	3.60	0500	3.69	0500	3.52	0500	3.18	0500	2.79	0500
0600	2.23	0600	2.84	0600	3.36	0600	3.67	0600	3.72	0600	3.53	0600	3.21	0600
0700	1.70	0700	2.29	0700	2.89	0700	3.36	0700	3.61	0700	3.63	0700	3.45	0700
0800	1.20	0800	1.67	0800	2.27	0800	2.82	0800	3.22	0800	3.43	0800	3.44	0800
0900	0.87	0900	1.11	0900	1.59	0900	2.15	0900	2.64	0900	2.98	0900	3.16	0900
1000	0.81	1000	0.77	1000	1.02	1000	1.49	1000	1.99	1000	2.41	1000	2.71	1000
1100	1.05	1100	0.76	1100	0.74	1100	0.98	1100	1.39	1100	1.84	1100	2.21	1100
1200	1.53	1200	1.11	1200	0.85	1200	0.82	1200	1.03	1200	1.38	1200	1.77	1200
1300	2.13	1300	1.69	1300	1.32	1300	1.09	1300	1.05	1300	1.20	1300	1.50	1300
1400	2.73	1400	2.37	1400	1.99	1400	1.68	1400	1.47	1400	1.40	1400	1.51	1400
1500	3.23	1500	3.00	1500	2.69	1500	2.39	1500	2.13	1500	1.93	1500	1.85	1500
1600	3.54	1600	3.47	1600	3.29	1600	3.05	1600	2.82	1600	2.60	1600	2.42	1600
1700	3.64	1700	3.71	1700	3.67	1700	3.55	1700	3.39	1700	3.21	1700	3.03	1700
1800	3.53	1800	3.69	1800	3.78	1800	3.79	1800	3.74	1800	3.63	1800	3.49	1800
1900	3.21	1900	3.43	1900	3.60	1900	3.73	1900	3.80	1900	3.80	1900	3.73	1900
2000	2.73	2000	2.94	2000	3.17	2000	3.37	2000	3.55	2000	3.67	2000	3.70	2000
2100	2.28	2100	2.34	2100	2.55	2100	2.81	2100	3.06	2100	3.27	2100	3.42	2100
2200	2.07	2200	1.87	2200	1.91	2200	2.13	2200	2.42	2200	2.70	2200	2.93	2200
2300	2.16	2300	1.73	2300	1.50	2300	1.53	2300	1.76	2300	2.07	2300	2.35	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal		
Latitude:	11° 16' 8" S	Client:	NT Portand Marine Pty Ltd
Longitude:	130° 14' 19" E	Project:	P426393

Predicted Tide Heights - February 2026, 16 - 28 (UTC +09:30)
(m)

MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT	
16 Feb 2026	17 Feb 2026	18 Feb 2026	19 Feb 2026	20 Feb 2026	21 Feb 2026	22 Feb 2026	23 Feb 2026	24 Feb 2026	25 Feb 2026	26 Feb 2026	27 Feb 2026	28 Feb 2026	16 Feb 2026	17 Feb 2026	18 Feb 2026	19 Feb 2026	20 Feb 2026	21 Feb 2026	22 Feb 2026	23 Feb 2026	24 Feb 2026	25 Feb 2026	26 Feb 2026	27 Feb 2026	28 Feb 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
0000	2.60	0000	2.29	0000	1.91	0000	1.50	0000	1.16	0000	0.97	0000	1.01	0000	1.25	0000	1.62	0000	2.05	0000	2.46	0000	2.79	0000	2.95
0100	2.82	0100	2.63	0100	2.31	0100	1.90	0100	1.45	0100	1.06	0100	0.83	0100	0.86	0100	1.12	0100	1.53	0100	1.99	0100	2.45	0100	2.81
0200	2.99	0200	2.95	0200	2.76	0200	2.44	0200	2.01	0200	1.53	0200	1.10	0200	0.85	0200	0.87	0200	1.14	0200	1.59	0200	2.09	0200	2.59
0300	3.06	0300	3.17	0300	3.15	0300	2.97	0300	2.64	0300	2.19	0300	1.69	0300	1.24	0300	0.98	0300	1.00	0300	1.30	0300	1.77	0300	2.31
0400	2.99	0400	3.24	0400	3.37	0400	3.36	0400	3.18	0400	2.83	0400	2.36	0400	1.85	0400	1.40	0400	1.15	0400	1.19	0400	1.52	0400	2.02
0500	2.76	0500	3.10	0500	3.38	0500	3.54	0500	3.54	0500	3.34	0500	2.96	0500	2.47	0500	1.95	0500	1.52	0500	1.31	0500	1.38	0500	1.74
0600	2.39	0600	2.76	0600	3.14	0600	3.46	0600	3.64	0600	3.63	0600	3.40	0600	2.98	0600	2.47	0600	1.96	0600	1.57	0600	1.40	0600	1.52
0700	1.96	0700	2.28	0700	2.68	0700	3.09	0700	3.44	0700	3.63	0700	3.59	0700	3.32	0700	2.88	0700	2.36	0700	1.88	0700	1.52	0700	1.40
0800	1.55	0800	1.75	0800	2.08	0800	2.52	0800	2.96	0800	3.32	0800	3.49	0800	3.43	0800	3.13	0800	2.68	0800	2.18	0800	1.73	0800	1.41
0900	1.27	0900	1.29	0900	1.49	0900	1.86	0900	2.32	0900	2.78	0900	3.12	0900	3.27	0900	3.19	0900	2.89	0900	2.45	0900	1.98	0900	1.55
1000	1.17	1000	1.03	1000	1.05	1000	1.26	1000	1.66	1000	2.14	1000	2.58	1000	2.90	1000	3.03	1000	2.94	1000	2.66	1000	2.25	1000	1.81
1100	1.32	1100	1.04	1100	0.88	1100	0.90	1100	1.13	1100	1.54	1100	2.02	1100	2.44	1100	2.74	1100	2.85	1100	2.78	1100	2.52	1100	2.14
1200	1.68	1200	1.35	1200	1.07	1200	0.90	1200	0.91	1200	1.14	1200	1.55	1200	2.01	1200	2.41	1200	2.69	1200	2.80	1200	2.73	1200	2.50
1300	2.16	1300	1.87	1300	1.55	1300	1.27	1300	1.09	1300	1.10	1300	1.32	1300	1.71	1300	2.15	1300	2.52	1300	2.77	1300	2.87	1300	2.82
1400	2.65	1400	2.46	1400	2.20	1400	1.91	1400	1.63	1400	1.46	1400	1.45	1400	1.65	1400	2.01	1400	2.41	1400	2.74	1400	2.96	1400	3.05
1500	3.05	1500	2.98	1500	2.84	1500	2.62	1500	2.36	1500	2.11	1500	1.94	1500	1.91	1500	2.07	1500	2.37	1500	2.72	1500	3.00	1500	3.18
1600	3.31	1600	3.35	1600	3.32	1600	3.22	1600	3.04	1600	2.83	1600	2.61	1600	2.44	1600	2.38	1600	2.47	1600	2.71	1600	2.99	1600	3.22
1700	3.40	1700	3.51	1700	3.59	1700	3.60	1700	3.54	1700	3.42	1700	3.24	1700	3.04	1700	2.86	1700	2.74	1700	2.76	1700	2.91	1700	3.12
1800	3.29	1800	3.45	1800	3.60	1800	3.71	1800	3.77	1800	3.76	1800	3.68	1800	3.53	1800	3.33	1800	3.11	1800	2.91	1800	2.84	1800	2.91
1900	2.98	1900	3.15	1900	3.34	1900	3.51	1900	3.67	1900	3.78	1900	3.82	1900	3.78	1900	3.64	1900	3.42	1900	3.13	1900	2.85	1900	2.68
2000	2.55	2000	2.67	2000	2.85	2000	3.06	2000	3.27	2000	3.48	2000	3.66	2000	3.75	2000	3.72	2000	3.57	2000	3.29	2000	2.93	2000	2.57
2100	2.17	2100	2.15	2100	2.24	2100	2.43	2100	2.66	2100	2.93	2100	3.20	2100	3.43	2100	3.55	2100	3.53	2100	3.34	2100	3.00	2100	2.57
2200	1.99	2200	1.77	2200	1.69	2200	1.76	2200	1.96	2200	2.24	2200	2.56	2200	2.89	2200	3.16	2200	3.30	2200	3.26	2200	3.04	2200	2.58
2300	2.04	2300	1.69	2300	1.41	2300	1.27	2300	1.33	2300	1.54	2300	1.87	2300	2.24	2300	2.62	2300	2.93	2300	3.07	2300	3.02	2200	2.66
Datum: LAT (~2.47 m < MSL)																									
2300 2.78																									

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal
Latitude:	11° 16' 8" S
Longitude:	130° 14' 19" E

Client: NT Portand Marine Pty Ltd
Project: P426393

Predicted Tide Heights - March 2026, 01 - 15 (UTC +09:30)
(m)

SUN	MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN																	
1 Mar 2026	time	ht	2 Mar 2026	time	ht	3 Mar 2026	time	ht	4 Mar 2026	time	ht	5 Mar 2026	time	ht	6 Mar 2026	time	ht	7 Mar 2026	time	ht	8 Mar 2026	time	ht	9 Mar 2026	time	ht	10 Mar 2026	time	ht	11 Mar 2026	time	ht	12 Mar 2026	time	ht	13 Mar 2026	time	ht	14 Mar 2026	time	ht	15 Mar 2026	time	ht
0000	2.90		0000	2.63		0000	2.22		0000	1.72		0000	1.27		0000	0.97		0000	0.89		0000	1.01		0000	1.23		0000	1.50		0000	1.79		0000	2.09		0000	2.36		0000	2.57		0000	2.69	
HW0120	0100	2.98	0100	2.92	0100	2.64	0100	2.22	0100	1.74	0100	1.30	LW0010	0.88	LW0040	0.90	0100	0.99	0100	1.18	0100	1.44	0100	1.75	0100	2.08	0100	2.39	0100	2.63														
	0200	2.97	0200	3.14	0200	3.07	0200	2.78	0200	2.36	0200	1.90	0200	1.49	0200	1.21	LW0110	0.98	LW0130	1.12	0200	1.10	0200	1.14	LW0200	1.29	0200	1.54	0200	1.85	0200	2.21	0200	2.54										
			HW0240	3.22																								LW0230	1.49															
	0300	2.83	0300	3.22	0300	3.38	0300	3.29	0300	2.98	0300	2.58	0300	2.15	0300	1.78	0300	1.52	0300	1.39	0300	1.38	0300	1.50	0300	1.72	0300	2.04	0300	2.39														
					HW0350	3.49																						LW0320	1.70															
	0400	2.59	0400	3.12	0400	3.49	0400	3.61	0400	3.48	0400	3.18	0400	2.81	0400	2.43	0400	2.09	0400	1.83	0400	1.68	0400	1.64	0400	1.72	0400	1.92	0400	2.21														
					HW0440	3.68																						LW0450	1.87															
	0500	2.27	0500	2.85	0500	3.34	0500	3.66	0500	3.75	0500	3.61	0500	3.33	0500	3.00	0500	2.66	0500	2.34	0500	2.08	0500	1.90	0500	1.83	0500	1.87	0500	2.04														
							HW0520	3.77	HW0550	3.75																																		
	0600	1.91	0600	2.44	0600	2.99	0600	3.42	0600	3.69	0600	3.75	0600	3.63	0600	3.39	0600	3.10	0600	2.79	0600	2.47	0600	2.19	0600	1.99	0600	1.89	0600	1.90														
														HW0620	3.67																													
	0700	1.56	0700	1.96	0700	2.48	0700	2.97	0700	3.34	0700	3.57	0700	3.63	HW0700	3.55	0700	3.36	0700	3.10	0700	2.80	0700	2.46	0700	2.16	0700	1.93	0700	1.81														
0800	1.32	0800	1.50	0800	1.89	0800	2.36	0800	2.79	0800	3.12	0800	3.34	0800	3.42	0800	3.38	HW0730	3.40	0800	2.99	0800	2.68	0800	2.33	0800	2.01	0800	1.77															
LW0830	1.26																																											
	0900	1.26	0900	1.19	0900	1.36	0900	1.72	0900	2.15	0900	2.53	0900	2.83	0900	3.05	0900	3.17	0900	3.16	0900	3.03	0900	2.80	0900	2.49	0900	2.15	0900	1.82														
			LW0940	1.12																																								
	1000	1.41	1000	1.14	1000	1.06	1000	1.20	1000	1.52	1000	1.91	1000	2.26	1000	2.55	1000	2.78	1000	2.92	1000	2.93	1000	2.81	1000	2.59	1000	2.30	1000	1.99														
					LW1020	1.03	LW1050	1.01																																				
	1100	1.74	1100	1.36	1100	1.10	1100	1.01	1100	1.12	1100	1.39	1100	1.73	1100	2.07	1100	2.36	1100	2.59	1100	2.73	1100	2.73	1100	2.63	1100	2.45	1100	2.21														
							LW1130	1.05																																				
	1200	2.16	1200	1.79	1200	1.45	1200	1.20	1200	1.10	LW1200	1.16	1200	1.38	1200	1.69	1200	2.01	1200	2.29	1200	2.51	1200	2.63	1200	2.64	1200	2.57	1200	2.45														
														LW1230	1.33	LW1250	1.54																											
	1300	2.62	1300	2.32	1300	2.01	1300	1.71	1300	1.48	1300	1.36	1300	1.37	1300	1.54	1300	1.80	1300	2.08	1300	2.34	1300	2.53	1300	2.65	1300	2.68	1300	2.66														
	1400	3.01	1400	2.84	1400	2.61	1400	2.36	1400	2.12	1400	1.90	1400	1.75	1400	1.72	1400	1.82	1400	2.02	LW1320	1.77	LW1340	2.02	1400	2.26	LW1400	2.48	1400	2.66	1400	2.77	1400	2.84	1400	2.98								
	1500	3.27	1500	3.25	1500	3.14	1500	2.97	1500	2.79	1500	2.59	1500	2.39	1500	2.21	1500	2.13	1500	2.17	1500	2.31	1500	2.49	1500	2.67	1500	2.83	1500	2.96														
HW1600	3.38	1600	3.46	1600	3.48	1600	3.44	1600	3.34	1600	3.21	1600	3.04	1600	2.83	1600	2.64	1600	2.51	1600	2.49	1600	2.57	1600	2.69	1600	2.83	1600	2.98															
			HW1620	3.49	HW1650	3.59																																						
	1700	3.32	1700	3.47	1700	3.59	1700	3.66	1700	3.68	1700	3.64	1700	3.53	1700	3.37	1700	3.16	1700	2.95	1700	2.80	1700	2.72	1700	2.72	1700	2.79	1700	2.90														
							HW1710	3.67	HW1740	3.75	HW1750	3.79																																
	1800	3.07	1800	3.26	1800	3.43	1800	3.59	1800	3.72	1800	3.79	1800	3.77	1800	3.68	1800	3.53	1800	3.33	1800	3.11	1800	2.93	1800	2.80	1800	2.72	1800	2.72														
	1900	2.69	1900	2.83	1900	3.03	1900	3.24	1900	3.45	1900	3.62	1900	3.72	1900	3.72	1900	3.64	1900	3.64	1900	3.51	1900	3.36	1900	3.28	1900	3.11	1900	2.89	1900	2.69	1900	2.69	1900	2.54								
	2000	2.33	2000	2.30	2000	2.44	2000	2.67	2000	2.93	2000	3.17	2000	3.36	2000	3.47	2000	3.49	2000	3.45	2000	3.45	2000	3.35	2000	3.18	2000	2.96	2000	2.70	2000	2.43												
2100	2.16	2100	1.89	2100	1.84	2100	1.98	2100	2.24	2100	2.52	2100	2.78	2100	2.98	2100	3.12	2100	3.18	2100	3.18	2100	3.18	2100	3.12	2100	2.97	2100	2.72	2100	2.41													
LW2110	2.15	LW2150	1.75																																									
	2200	2.19	2200	1.75	2200	1.45	2200	1.39	2200	1.54	2200	1.81	2200	2.10	2200	2.36	2200	2.58	2200	2.75	2200	2.87	2200	2.92	2200	2.89	2200	2.74	2200	2.42														

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours
© RPS AAP Consulting Pty Ltd

Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal		
Latitude:	11° 16' 8" S	Client:	NT Portand Marine Pty Ltd
Longitude:	130° 14' 19" E	Project:	P426393

Predicted Tide Heights - March 2026, 16 - 31 (UTC +09:30)

(m)

MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		
16 Mar 2026	17 Mar 2026	18 Mar 2026	19 Mar 2026	20 Mar 2026	21 Mar 2026	22 Mar 2026	23 Mar 2026	24 Mar 2026	25 Mar 2026	26 Mar 2026	27 Mar 2026	28 Mar 2026	29 Mar 2026	30 Mar 2026	31 Mar 2026	16 Mar 2026	17 Mar 2026	18 Mar 2026	19 Mar 2026	20 Mar 2026	21 Mar 2026	22 Mar 2026	23 Mar 2026	24 Mar 2026	25 Mar 2026	26 Mar 2026	27 Mar 2026	28 Mar 2026	29 Mar 2026	30 Mar 2026	31 Mar 2026	
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	
0000	2.68	0000	2.52	0000	2.21	0000	1.78	0000	1.28	0000	0.81	0000	0.50	0000	0.47	0000	0.73	0000	1.19	0000	1.72	0000	2.22	0000	2.59	0000	2.78	0000	2.74	0000	2.49	
HW0140	0100	2.77	0100	2.77	0100	2.62	0100	2.30	0100	1.84	0100	1.31	0100	0.81	LW0030	0.41	0100	0.48	LW0100	0.46	0100	0.76	0100	1.82	0100	2.34	0100	2.73	0100	2.91	0100	2.86
	0200	2.80	0200	2.96	0200	2.98	0200	2.83	0200	2.50	0200	2.02	0200	1.45	0200	0.94	0200	0.63	LW0150	0.63	0200	0.97	0200	1.50	0200	2.08	0200	2.60	0200	2.98	0200	3.15
	0300	2.74	0300	3.02	0300	3.21	0300	3.25	0300	3.10	0300	2.75	0300	2.23	0300	1.66	0300	1.16	0300	0.89	0300	0.94	0300	1.30	0300	1.84	0300	2.42	0300	2.92	HW0300	3.27
	0400	2.57	0400	2.93	0400	3.25	0400	3.47	0400	3.52	0400	3.35	0400	2.95	0400	2.41	0400	1.85	0400	1.40	0400	1.19	0400	1.28	0400	1.66	0400	2.19	0400	2.74	0400	3.19
0500	2.33	0500	2.69	0500	3.08	0500	3.43	0500	3.67	0500	3.71	0500	3.50	0500	3.06	0500	2.52	0500	1.99	0500	1.60	0500	1.45	LW0500	1.58	0500	1.96	0500	2.46	0500	2.95	
0600	2.05	0600	2.33	0600	2.71	0600	3.14	0600	3.52	0600	3.78	0600	3.76	0600	3.51	0600	3.05	0600	2.52	0600	2.05	0600	1.72	0600	1.62	0600	1.77	0600	2.13	0600	2.58	
0700	1.80	0700	1.94	0700	2.23	0700	2.64	0700	3.09	0700	3.48	0700	3.70	0700	3.67	0700	3.39	0700	2.94	0700	2.45	0700	2.02	0700	1.75	0700	1.67	0700	1.80	0700	2.13	
LW0850	0800	1.62	0800	1.59	0800	1.73	0800	2.04	0800	2.49	0800	2.95	0800	3.34	0800	3.53	0800	3.48	0800	3.19	0800	2.77	0800	2.32	0800	1.94	0800	1.68	0800	1.60	0800	1.71
	0900	1.56	0900	1.39	0900	1.34	0900	1.49	0900	1.83	0900	2.29	0900	2.77	0900	3.13	0900	3.29	0900	3.23	0900	2.96	0900	2.58	0900	2.17	0900	1.82	0900	1.57	0900	1.47
	1000	1.67	1000	1.39	LW1000	1.19	1000	1.13	1000	1.28	1000	1.65	1000	2.13	1000	2.59	1000	2.93	1000	3.07	1000	3.01	1000	2.77	1000	2.42	1000	2.06	1000	1.74	1000	1.45
	1100	1.93	1100	1.63	1100	1.33	1100	1.10	1100	1.03	1100	1.19	1100	1.57	1100	2.06	1100	2.50	1100	2.80	1100	2.92	1100	2.86	1100	2.65	1100	2.36	1100	2.04	1100	1.75
1200	2.27	1200	2.03	1200	1.73	1200	1.42	1200	1.18	1200	1.10	1200	1.26	1200	1.64	1200	2.11	1200	2.52	1200	2.78	1200	2.88	1200	2.83	1200	2.66	1200	2.42	1200	2.16	
1300	2.60	1300	2.48	1300	2.28	1300	2.00	1300	1.69	1300	1.44	1300	1.36	1300	1.50	1300	1.85	1300	2.28	1300	2.63	1300	2.85	1300	2.94	1300	2.91	1300	2.79	1300	2.61	
1400	2.88	1400	2.88	1400	2.81	1400	2.64	1400	2.38	1400	2.09	1400	1.86	1400	1.76	1400	1.87	LW1400	2.15	1400	2.51	1400	2.80	HW1400	2.99	1400	3.07	1400	3.08	1400	3.02	
HW1550	1500	3.07	1500	3.16	1500	3.20	1500	3.17	1500	3.04	1500	2.82	1500	2.57	1500	2.34	1500	2.21	1500	2.25	1500	2.45	1500	2.72	1500	2.96	1500	3.12	1500	3.22	1500	3.28
	1600	3.13	1600	3.27	1600	3.41	1600	3.49	1600	3.50	1600	3.41	1600	3.24	1600	3.01	1600	2.78	1600	2.60	1600	2.54	1600	2.65	1600	2.85	1600	3.04	1600	3.23	HW1540	3.34
	1700	3.04	1700	3.20	1700	3.38	1700	3.55	HW1700	3.69	1700	3.74	1700	3.69	1700	3.54	1700	3.32	1700	3.05	1700	2.81	1700	2.67	1700	2.68	1700	2.82	1700	3.01	1700	3.19
	1800	2.80	1800	2.94	1800	3.13	1800	3.34	1800	3.56	1800	3.74	1800	3.83	1800	3.81	1800	3.67	1800	3.42	1800	3.11	1800	2.79	1800	2.58	1800	2.53	1800	2.64	1800	2.83
1900	2.48	1900	2.52	1900	2.66	1900	2.88	1900	3.13	1900	3.40	1900	3.64	1900	3.77	1900	3.76	1900	3.59	1900	3.31	1900	2.94	1900	2.57	1900	2.31	1900	2.22	1900	2.31	
2000	2.20	2000	2.07	2000	2.08	2000	2.24	2000	2.49	2000	2.80	2000	3.13	2000	3.41	2000	3.56	HW1910	3.60	HW1930	3.35	2000	3.02	2000	2.62	LW2000	2.21	2000	1.91	2000	1.80	
LW2100	2100	2.07	2100	1.76	2100	1.57	2100	1.57	2100	1.74	2100	2.04	2100	2.41	2100	2.80	2100	3.11	2100	3.27	2100	3.23	2100	3.02	2100	2.67	2100	2.24	LW2100	1.81	2100	1.49
	2200	2.11	2200	1.70	2200	1.33	2200	1.09	2200	1.07	2200	1.27	2200	1.62	2200	2.05	2200	2.48	2200	2.82	2200	2.99	2200	2.94	2200	2.71	2200	2.35	2200	1.91	2200	1.47
	2300	2.28	2300	1.88	2300	1.42	2300	0.99	LW2320	0.69	LW2350	0.68	2300	0.91	2300	1.32	2300	1.80	2300	2.27	2300	2.63	2300	2.80	HW2340	2.78	2300	2.53	2300	2.15	2300	1.70

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - April 2026, 01 - 15 (UTC +09:30)

(m)

WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED
1 Apr 2026	2 Apr 2026	3 Apr 2026	4 Apr 2026	5 Apr 2026	6 Apr 2026	7 Apr 2026	8 Apr 2026	9 Apr 2026	10 Apr 2026	11 Apr 2026	12 Apr 2026	13 Apr 2026	14 Apr 2026	15 Apr 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	2.11	0000	1.65	0000	1.20	0000	0.87	0000	1.44	0000	1.80	0000	2.14	0000
0100	2.61	0100	2.21	0100	1.77	0100	1.34	0100	1.02	0100	0.86	0100	0.88	0100
0200	3.08	0200	2.81	0200	2.43	0200	2.01	0200	1.62	0200	1.33	0200	1.15	0200
0300	3.41	0300	3.32	0300	3.05	0300	2.70	0300	2.33	0300	1.98	0300	1.69	0300
0400	3.50	0400	3.60	0400	3.51	0400	3.27	0400	2.97	0400	2.64	0400	2.32	0400
0500	3.35	0500	3.60	0500	3.70	0500	3.62	0500	3.43	0500	3.18	0500	2.88	0500
0600	3.01	0600	3.35	0600	3.58	0600	3.68	0600	3.64	0600	3.50	0600	3.27	0600
0700	2.53	0700	2.91	0700	3.21	0700	3.43	0700	3.55	0700	3.56	0700	3.45	0700
0800	1.99	0800	2.35	0800	2.69	0800	2.97	0800	3.20	0800	3.35	0800	3.38	0800
0900	1.55	0900	1.79	0900	2.11	0900	2.43	0900	2.71	0900	2.94	0900	3.10	0900
1000	1.38	1000	1.41	1000	1.61	1000	1.89	1000	2.19	1000	2.47	1000	2.70	1000
1100	1.52	1100	1.38	1100	1.37	1100	1.51	1100	1.75	1100	2.03	1100	2.30	1100
1200	1.92	1200	1.70	1200	1.53	1200	1.47	1200	1.55	1200	1.74	1200	1.99	1200
1300	2.43	1300	2.23	1300	2.01	1300	1.82	1300	1.70	1300	1.72	1300	1.86	1300
1400	2.92	1400	2.79	1400	2.62	1400	2.41	1400	2.19	1400	2.03	1400	1.98	1400
1500	3.29	1500	3.25	1500	3.16	1500	3.01	1500	2.80	1500	2.56	1500	2.37	1500
1600	3.45	1600	3.52	1600	3.53	1600	3.46	1600	3.32	1600	3.11	1600	2.87	1600
1700	3.36	1700	3.53	1700	3.64	1700	3.67	1700	3.61	1700	3.48	1700	3.29	1700
1800	3.03	1800	3.25	1800	3.45	1800	3.58	1800	3.63	1800	3.59	1800	3.49	1800
1900	2.50	1900	2.74	1900	2.98	1900	3.20	1900	3.36	1900	3.43	1900	3.37	1900
2000	1.88	2000	2.08	2000	2.34	2000	2.60	2000	2.84	2000	3.02	2000	3.14	2000
2100	1.36	2100	1.43	2100	1.63	2100	1.89	2100	2.17	2100	2.43	2100	2.66	2100
2200	1.13	2200	0.98	2200	1.04	2200	1.23	2200	1.50	2200	1.79	2200	2.08	2200
2300	1.25	2300	0.91	2300	0.75	2300	0.78	2300	0.96	2300	1.23	2300	1.53	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - April 2026, 16 - 30 (UTC +09:30)

(m)

THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU
16 Apr 2026	17 Apr 2026	18 Apr 2026	19 Apr 2026	20 Apr 2026	21 Apr 2026	22 Apr 2026	23 Apr 2026	24 Apr 2026	25 Apr 2026	26 Apr 2026	27 Apr 2026	28 Apr 2026	29 Apr 2026	30 Apr 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	2.25	0000	1.79	0000	1.23	0000	0.65	0000	0.24	0000	0.44	0000	0.29	0000
0100	2.70	0100	2.40	0100	1.91	0100	1.30	0100	0.71	0100	0.32	0100	0.29	0100
0200	3.06	0200	2.96	0200	2.63	0200	2.09	0200	1.46	0200	0.90	0200	0.57	0200
0300	3.25	0300	3.36	0300	3.23	0300	2.85	0300	2.29	0300	1.67	0300	1.17	0300
0400	3.22	0400	3.51	0400	3.60	0400	3.44	0400	3.02	0400	2.45	0400	1.88	0400
0500	2.99	0500	3.39	0500	3.68	0500	3.75	0500	3.54	0500	3.10	0500	2.56	0500
0600	2.61	0600	3.05	0600	3.46	0600	3.73	0600	3.77	0600	3.53	0600	3.09	0600
0700	2.17	0700	2.55	0700	3.01	0700	3.42	0700	3.67	0700	3.68	0700	3.43	0700
0800	1.75	0800	2.01	0800	2.43	0800	2.90	0800	3.30	0800	3.52	0800	3.51	0800
0900	1.50	0900	1.56	0900	1.84	0900	2.30	0900	2.78	0900	3.15	0900	3.34	0900
1000	1.51	1000	1.36	1000	1.42	1000	1.73	1000	2.20	1000	2.67	1000	3.01	1000
1100	1.80	1100	1.51	1100	1.34	1100	1.40	1100	1.72	1100	2.18	1100	2.61	1100
1200	2.27	1200	1.96	1200	1.65	1200	1.48	1200	1.52	1200	1.81	1200	2.23	1200
1300	2.76	1300	2.54	1300	2.24	1300	1.94	1300	1.75	1300	1.76	1300	1.98	1300
1400	3.14	1400	3.08	1400	2.89	1400	2.61	1400	2.32	1400	2.09	1400	2.03	1400
1500	3.32	1500	3.42	1500	3.39	1500	3.24	1500	2.98	1500	2.67	1500	2.40	1500
1600	3.29	1600	3.50	1600	3.64	1600	3.64	1600	3.50	1600	3.24	1600	2.90	1600
1700	3.03	1700	3.30	1700	3.57	1700	3.74	1700	3.76	1700	3.61	1700	3.33	1700
1800	2.58	1800	2.86	1800	3.19	1800	3.51	1800	3.70	1800	3.72	1800	3.55	1800
1900	1.99	1900	2.23	1900	2.58	1900	2.97	1900	3.32	1900	3.53	1900	3.53	1900
2000	1.41	2000	1.52	2000	1.82	2000	2.23	2000	2.68	2000	3.06	2000	3.27	2000
2100	1.04	2100	0.92	2100	1.05	2100	1.41	2100	1.89	2100	2.39	2100	2.79	2100
2200	1.00	2200	0.63	2200	0.49	2200	0.67	2200	1.09	2200	1.64	2200	2.17	2200
2300	1.29	2300	0.75	2300	0.34	2300	0.22	2300	0.45	2300	0.94	2300	1.54	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - May 2026, 01 - 15 (UTC +09:30)

(m)

	FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI	
	1 May 2026	2 May 2026	3 May 2026	4 May 2026	5 May 2026	6 May 2026	7 May 2026	8 May 2026	9 May 2026	10 May 2026	11 May 2026	12 May 2026	13 May 2026	14 May 2026	15 May 2026															
	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
	0000	1.70	0000	1.29	0000	0.95	0000	0.74	0000	0.68	LW0000	0.75	0000	0.95	0000	1.25	0000	1.61	0000	1.99	0000	2.31	0000	2.56	0000	2.67	0000	2.62	0000	2.36
											LW0030	0.89	0000	0.91	0100	1.08	0100	1.36	0100	1.72	0100	2.10	0100	2.45	0100	2.71	0100	2.86	0100	2.80
	0100	2.28	0100	1.89	0100	1.50	0100	1.18	0100	0.96	0100	0.87	0100	0.91	0100	1.07	LW0140	1.29	0200	1.56	0200	1.91	0200	2.29	0200	2.65	0200	2.94	0200	3.10
	0200	2.85	0200	2.53	0200	2.18	0200	1.82	0200	1.51	0200	1.27	0200	1.15	0200	1.15	0200	1.29	LW0220	1.53	0300	1.78	0300	2.12	0300	2.50	0300	2.88	0300	3.19
	0300	3.28	0300	3.09	0300	2.81	0300	2.50	0300	2.17	0300	1.85	0300	1.60	0300	1.45	0300	1.42	0300	1.54	LW0330	1.76	0400	1.99	0400	2.31	0400	2.70	0400	3.09
	0400	3.48	0400	3.45	0400	3.30	0400	3.07	0400	2.78	0400	2.46	0400	2.14	0400	1.87	0400	1.72	0400	1.68	0400	1.77	0400	1.99	0400	2.31	0400	2.70	0400	3.09
HW0410	3.49	HW0440	3.55	0500	3.55	0500	3.45	0500	3.25	0500	2.97	0500	2.65	0500	2.33	0500	2.08	0500	1.92	0500	1.87	LW0500	1.93	0500	2.13	0500	2.45	0500	2.84	
	0500	3.42	0500	3.55	0500	3.58	HW0550	3.57	0600	3.49	0600	3.31	0600	3.05	0600	2.74	0600	2.44	0600	2.20	0600	2.04	0600	1.97	0600	2.00	0600	2.18	0600	2.50
	0600	3.17	0600	3.39	0600	3.53	0600	3.57	0600	3.49	0600	3.31	0600	3.05	0600	2.74	0600	2.44	0600	2.20	0600	2.04	0600	1.97	0600	2.00	0600	2.18	0600	2.50
	0700	2.79	0700	3.05	0700	3.27	0700	3.43	0700	3.48	HW0700	3.43	0700	3.26	0700	3.03	0700	2.75	0700	2.49	0700	2.26	0700	2.08	0700	1.96	0700	1.96	0700	2.14
	0800	2.33	0800	2.61	0800	2.86	0800	3.08	0800	3.24	0800	3.31	0800	3.27	HW0800	3.14	0800	2.95	0800	2.73	0800	2.50	0800	2.28	0800	2.06	0800	1.89	0800	1.87
	0900	1.92	0900	2.14	0900	2.39	0900	2.64	0900	2.85	0900	3.02	0900	3.10	0900	3.09	0900	3.00	0900	2.88	0900	2.72	0900	2.52	0900	2.27	0900	2.01	0900	1.80
LW1000	1.74	1000	1.80	1000	1.97	1000	2.19	1000	2.43	1000	2.64	1000	2.81	1000	2.90	1000	2.92	1000	2.89	1000	2.84	1000	2.73	1000	2.55	1000	2.29	1000	1.99	
	1100	1.87	1100	1.75	1100	1.74	1100	1.85	1100	2.05	1100	2.27	1100	2.48	1100	2.65	1100	2.75	1100	2.81	1100	2.85	1100	2.87	1100	2.81	1100	2.64	1100	2.37
	1200	2.25	1200	2.03	1200	1.85	1200	1.78	1200	1.83	LW1220	1.82	LW1240	1.92	1300	2.20	1300	2.21	1300	2.25	1300	2.29	1300	2.89	1300	2.97	1300	2.95	1300	2.80
	1300	2.71	1300	2.51	1300	2.26	1300	2.03	1300	1.91	1300	1.92	1300	2.04	1300	2.21	1300	2.23	1300	2.25	1300	2.28	1300	2.83	1300	3.00	1300	3.13	1300	3.15
	1400	3.11	1400	2.98	1400	2.78	1400	2.52	1400	2.28	1400	2.12	1400	2.08	1400	2.14	1400	2.25	1400	2.23	1400	2.39	1400	2.70	1400	2.90	1400	3.13	1400	3.31
	1500	3.36	1500	3.33	1500	3.21	1500	3.01	1500	2.77	1500	2.53	1500	2.36	1500	2.26	1500	2.23	1500	2.27	1500	2.36	1500	2.50	1500	2.70	1500	2.96	1500	3.24
HW1540	3.42	HW1550	3.46	1600	3.44	1600	3.34	1600	3.17	1600	2.96	1600	2.73	1600	2.53	1600	2.36	1600	2.24	1600	2.20	1600	2.25	1600	2.40	1600	2.65	1600	2.96	
	1600	3.40	1600	3.46	1600	3.47	HW1650	3.45	1700	3.38	1700	3.25	1700	3.06	1700	2.83	1700	2.58	1700	2.33	1700	2.12	1700	2.01	1700	2.04	1700	2.22	1700	2.51
	1700	3.19	1700	3.35	1700	3.44	1700	3.44	1700	3.38	1700	3.25	1700	3.06	1700	2.83	1700	2.58	1700	2.33	1700	2.12	1700	2.01	1700	2.04	1700	2.22	1700	2.51
	1800	2.75	1800	2.98	1800	3.18	1800	3.30	1800	3.34	1800	3.31	HW1800	3.22	1800	3.04	1800	2.79	1800	2.49	1800	2.16	1800	1.87	1800	1.71	1800	1.74	1800	1.94
	1900	2.16	1900	2.41	1900	2.68	1900	2.91	1900	3.07	1900	3.16	1900	3.17	1900	3.09	1900	2.91	1900	2.62	1900	2.27	1900	1.87	1900	1.52	1900	1.32	1900	1.35
	2000	1.53	2000	1.76	2000	2.03	2000	2.32	2000	2.60	2000	2.81	2000	2.94	2000	2.98	2000	2.91	2000	2.70	2000	2.38	2000	1.97	2000	1.52	2000	1.11	2000	0.89
	2100	1.02	2100	1.15	2100	1.38	2100	1.68	2100	2.00	2100	2.31	2100	2.56	2100	2.73	2100	2.79	2100	2.72	2100	2.49	2100	2.14	2100	1.68	2100	1.10	LW2050	0.72
LW2200	0.77	2200	0.74	2200	0.87	2200	1.10	2200	1.41	2200	1.75	2200	2.09	2200	2.38	2200	2.57	2200	2.65	2200	2.57	2200	2.34	2200	1.96	2200	1.44	2200	0.88	
	2300	0.88	2300	0.67	LW2300	0.62	2300	0.73	2300	0.95	2300	1.26	2300	1.62	2300	1.98	2300	2.29	2300	2.50	2300	2.60	2300	2.54	2300	2.30	2300	1.87	2300	1.30

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - May 2026, 16 - 31 (UTC +09:30) (m)

SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN
16 May 2026	17 May 2026	18 May 2026	19 May 2026	20 May 2026	21 May 2026	22 May 2026	23 May 2026	24 May 2026	25 May 2026	26 May 2026	27 May 2026	28 May 2026	29 May 2026	30 May 2026	31 May 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
0000	1.89	0000	1.27	0000	0.64	0000	0.08	0000	1.00	0000	1.68	0000	2.26	0000	2.21
0100	2.51	0100	1.99	0100	1.35	0100	0.73	0100	0.34	0100	0.33	0100	0.70	0100	2.38
0200	3.03	0200	2.70	0200	2.15	0200	1.51	0200	0.96	0200	0.66	0200	0.71	0200	2.85
0300	3.34	0300	3.25	0300	2.88	0300	2.33	0300	1.73	0300	1.27	0300	1.05	0300	2.66
0400	3.41	0400	3.54	0400	3.41	0400	3.03	0400	2.50	0400	1.97	0400	1.60	0400	2.38
0500	3.24	0500	3.56	0500	3.67	0500	3.51	0500	3.13	0500	2.64	0500	2.19	0500	2.05
0600	2.92	0600	3.33	0600	3.63	0600	3.71	0600	3.54	0600	3.17	0600	2.74	0600	2.05
0700	2.50	0700	2.94	0700	3.35	0700	3.62	0700	3.67	0700	3.49	0700	3.16	0700	2.05
0800	2.06	0800	2.45	0800	2.90	0800	3.30	0800	3.53	0800	3.56	0800	3.39	0800	2.05
0900	1.77	0900	1.97	0900	2.38	0900	2.83	0900	3.19	0900	3.38	0900	3.40	0900	2.05
1000	1.75	1000	1.70	1000	1.91	1000	2.30	1000	2.73	1000	3.05	1000	3.21	1000	2.03
1100	2.05	1100	1.79	1100	1.71	1100	1.88	1100	2.23	1100	2.61	1100	2.90	1100	2.10
1200	2.53	1200	2.20	1200	1.91	1200	1.78	1200	1.88	1200	2.17	1200	2.51	1200	2.40
1300	3.02	1300	2.76	1300	2.41	1300	2.07	1300	1.88	1300	1.90	1300	2.13	1300	2.78
1400	3.37	1400	3.26	1400	2.99	1400	2.61	1400	2.23	1400	1.97	1400	1.92	1400	3.08
1500	3.47	1500	3.55	1500	3.44	1500	3.15	1500	2.75	1500	2.33	1500	2.03	1500	3.24
1600	3.30	1600	3.56	1600	3.64	1600	3.52	1600	3.21	1600	2.78	1600	2.35	1600	3.21
1700	2.89	1700	3.27	1700	3.55	1700	3.63	1700	3.47	1700	3.13	1700	2.70	1700	2.97
1800	2.30	1800	2.74	1800	3.16	1800	3.45	1800	3.50	1800	3.32	1800	2.96	1800	2.53
1900	1.61	1900	2.03	1900	2.53	1900	2.99	1900	3.28	1900	3.31	1900	3.10	1900	1.97
2000	0.94	2000	1.25	2000	1.75	2000	2.31	2000	2.80	2000	3.08	2000	3.09	2000	1.40
2100	0.48	2100	0.57	2100	0.96	2100	1.54	2100	2.15	2100	2.65	2100	2.91	2100	0.94
2200	0.39	2200	0.17	2200	0.32	2200	0.80	2200	1.45	2200	2.09	2200	2.57	2200	0.72
2300	0.69	2300	0.20	2300	0.03	2300	0.26	2300	0.82	2300	1.51	2300	2.13	2300	0.78

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - June 2026, 01 - 15 (UTC +09:30)

(m)

MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON
1 Jun 2026	2 Jun 2026	3 Jun 2026	4 Jun 2026	5 Jun 2026	6 Jun 2026	7 Jun 2026	8 Jun 2026	9 Jun 2026	10 Jun 2026	11 Jun 2026	12 Jun 2026	13 Jun 2026	14 Jun 2026	15 Jun 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	1.14	0000	0.89	0000	0.75	0000	0.74	0000	1.13	0000	1.24	0000	1.49	0000
0100	1.70	0100	1.36	0100	1.09	0100	0.92	0100	0.88	LW0020	0.84	0100	1.24	0100
0200	2.32	0200	1.98	0200	1.64	0200	1.35	0200	1.16	0200	1.11	0200	1.20	0200
0300	2.86	0300	2.59	0300	2.27	0300	1.93	0300	1.64	0300	1.45	0300	1.39	0300
0400	3.26	0400	3.08	0400	2.82	0400	2.52	0400	2.20	0400	1.93	0400	1.76	0400
0500	3.44	0500	3.38	0500	3.22	0500	2.99	0500	2.72	0500	2.43	0500	2.20	0500
0600	3.38	0600	3.45	0600	3.42	0600	3.29	0600	3.10	0600	2.87	0600	2.63	0600
0700	3.15	0700	3.30	0700	3.39	0700	3.38	0700	3.29	0700	3.15	0700	2.98	0700
0800	2.80	0800	2.99	0800	3.15	0800	3.26	0800	3.28	0800	3.24	0800	3.16	0800
0900	2.39	0900	2.59	0900	2.79	0900	2.96	0900	3.08	0900	3.14	0900	3.15	0900
1000	2.06	1000	2.19	1000	2.38	1000	2.58	1000	2.76	1000	2.89	1000	2.98	1000
1100	1.96	1100	1.93	1100	2.03	1100	2.20	1100	2.40	1100	2.58	1100	2.72	1100
1200	2.14	1200	1.95	1200	1.89	1200	1.94	1200	2.08	1200	2.26	1200	2.42	1200
1300	2.52	1300	2.25	1300	2.04	1300	1.93	1300	1.93	1300	2.01	1300	2.13	1300
1400	2.91	1400	2.67	1400	2.41	1400	2.19	1400	2.03	1400	1.94	1400	1.94	1400
1500	3.18	1500	3.04	1500	2.83	1500	2.58	1500	2.34	1500	2.12	1500	1.94	1500
1600	3.26	1600	3.23	1600	3.13	1600	2.95	1600	2.71	1600	2.44	1600	2.15	1600
1700	3.14	1700	3.23	1700	3.24	1700	3.16	1700	2.99	1700	2.74	1700	2.44	1700
1800	2.79	1800	3.01	1800	3.14	1800	3.18	1800	3.12	1800	2.95	1800	2.68	1800
1900	2.27	1900	2.58	1900	2.84	1900	3.00	1900	3.07	1900	3.01	1900	2.84	1900
2000	1.68	2000	2.01	2000	2.35	2000	2.64	2000	2.83	2000	2.92	2000	2.87	2000
2100	1.14	2100	1.43	2100	1.77	2100	2.13	2100	2.44	2100	2.67	2100	2.78	2100
2200	0.77	2200	0.95	2200	1.24	2200	1.59	2200	1.96	2200	2.30	2200	2.55	2200
2300	0.67	2300	0.70	2300	0.86	2300	1.13	2300	1.49	2300	1.87	2300	2.23	2300

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal		
Latitude:	11° 16' 8" S	Client:	NT Portand Marine Pty Ltd
Longitude:	130° 14' 19" E	Project:	P426393

Predicted Tide Heights - June 2026, 16 - 30 (UTC +09:30)

(m)

TUE	WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		
16 Jun 2026 time ht	17 Jun 2026 time ht	18 Jun 2026 time ht	19 Jun 2026 time ht	20 Jun 2026 time ht	21 Jun 2026 time ht	22 Jun 2026 time ht	23 Jun 2026 time ht	24 Jun 2026 time ht	25 Jun 2026 time ht	26 Jun 2026 time ht	27 Jun 2026 time ht	28 Jun 2026 time ht	29 Jun 2026 time ht	30 Jun 2026 time ht	16 Jun 2026 time ht	17 Jun 2026 time ht	18 Jun 2026 time ht	19 Jun 2026 time ht	20 Jun 2026 time ht	21 Jun 2026 time ht	22 Jun 2026 time ht	23 Jun 2026 time ht	24 Jun 2026 time ht	25 Jun 2026 time ht	26 Jun 2026 time ht	27 Jun 2026 time ht	28 Jun 2026 time ht	29 Jun 2026 time ht	30 Jun 2026 time ht
0000 0.75	0000 0.31	0000 0.22	0000 0.52	0000 1.10	0000 1.73	0000 2.25	0000 2.58	0000 2.74	0000 2.73	0000 2.58	0000 2.34	0000 2.04	0000 1.70	0000 1.35	0000 0.75	0000 0.31	0000 0.22	0000 0.52	0000 1.10	0000 1.73	0000 2.25	0000 2.58	0000 2.74	0000 2.73	0000 2.58	0000 2.34	0000 2.04	0000 1.70	0000 1.35
0100 1.45	0100 0.87	0100 0.51	LW0030 0.45	0100 0.81	0100 1.34	0100 1.89	0100 2.33	0100 2.62	0100 2.77	0100 2.79	0100 2.68	0100 2.48	0100 2.20	0100 1.87	0100 1.45	0100 0.87	0100 0.51	LW0030 0.45	0100 0.81	0100 1.34	0100 1.89	0100 2.33	0100 2.62	0100 2.77	0100 2.79	0100 2.68	0100 2.48	0100 2.20	0100 1.87
0200 2.21	0200 1.63	0200 1.13	0200 0.84	0200 0.86	0200 1.16	0200 1.62	0200 2.08	0200 2.45	0200 2.71	0200 2.87	0200 2.92	0200 2.84	0200 2.66	0200 2.41	0200 2.21	0200 1.63	0200 1.13	0200 0.84	0200 0.86	0200 1.16	0200 1.62	0200 2.08	0200 2.45	0200 2.71	0200 2.87	0200 2.92	0200 2.84	0200 2.66	0200 2.41
0300 2.89	0300 2.41	0300 1.88	0300 1.46	0300 1.24	0300 1.27	0300 1.52	0300 1.90	0300 2.29	0300 2.61	0300 2.86	0300 3.02	0300 3.08	0300 3.02	0300 2.87	0300 2.89	0300 2.41	0300 1.88	0300 1.46	0300 1.24	0300 1.27	0300 1.52	0300 1.90	0300 2.29	0300 2.61	0300 2.86	0300 3.02	0300 3.08	0300 3.02	0300 2.87
0400 3.37	0400 3.07	0400 2.62	0400 2.17	0400 1.82	0400 1.64	0400 1.66	0400 1.86	0400 2.16	0400 2.50	0400 2.78	0400 3.00	0400 3.16	0400 3.23	0400 3.19	0400 3.37	0400 3.07	0400 2.62	0400 2.17	0400 1.82	0400 1.64	0400 1.66	0400 1.86	0400 2.16	0400 2.50	0400 2.78	0400 3.00	0400 3.16	0400 3.23	0400 3.19
0500 3.60	0500 3.51	0500 3.22	0500 2.82	0500 2.44	0500 2.16	0500 2.01	0500 2.00	0500 2.14	0500 2.39	0500 2.66	0500 2.91	0500 3.11	0500 3.25	0500 3.33	0500 3.60	0500 3.51	0500 3.22	0500 2.82	0500 2.44	0500 2.16	0500 2.01	0500 2.00	0500 2.14	0500 2.39	0500 2.66	0500 2.91	0500 3.11	0500 3.25	0500 3.33
0600 3.62	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.62	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69	0600 3.69
0700 3.34	0700 3.60	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.34	0700 3.60	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69	0700 3.69
0800 2.94	0800 3.29	0800 3.51	0800 3.59	0800 3.52	0800 3.36	0800 3.16	0800 2.97	0800 2.80	0800 2.63	0800 2.50	0800 2.44	0800 2.47	0800 2.58	0800 2.73	0800 2.94	0800 3.29	0800 3.51	0800 3.59	0800 3.52	0800 3.36	0800 3.16	0800 2.97	0800 2.80	0800 2.63	0800 2.50	0800 2.44	0800 2.47	0800 2.58	0800 2.73
0900 2.45	0900 2.81	0900 3.13	0900 3.34	0900 3.43	0900 3.41	0900 3.31	0900 3.17	0900 3.02	0900 2.86	0900 2.67	0900 2.48	0900 2.34	0900 2.30	0900 2.36	0900 2.45	0900 2.81	0900 3.13	0900 3.34	0900 3.43	0900 3.41	0900 3.31	0900 3.17	0900 3.02	0900 2.86	0900 2.67	0900 2.48	0900 2.34	0900 2.30	0900 2.36
1000 2.04	1000 2.27	1000 2.61	1000 2.91	1000 3.12	1000 3.24	1000 3.27	1000 3.07	1000 2.92	1000 2.86	1000 2.86	1000 2.86	1000 2.86	1000 2.86	1000 2.86	1000 2.04	1000 2.27	1000 2.61	1000 2.91	1000 3.12	1000 3.24	1000 3.27	1000 3.07	1000 2.92	1000 2.86	1000 2.86	1000 2.86	1000 2.86	1000 2.86	1000 2.86
1100 1.92	1100 1.87	1100 2.06	1100 2.37	1100 2.67	1100 2.91	1100 3.07	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 1.92	1100 1.87	1100 2.06	1100 2.37	1100 2.67	1100 2.91	1100 3.07	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15	1100 3.15
1200 2.16	1200 1.83	1200 1.72	1200 1.86	1200 2.16	1200 2.47	1200 2.73	1200 2.92	1200 3.04	1200 3.08	1200 3.06	1200 2.97	1200 2.82	1200 2.58	1200 2.30	1200 2.16	1200 1.83	1200 1.72	1200 1.86	1200 2.16	1200 2.47	1200 2.73	1200 2.92	1200 3.04	1200 3.08	1200 3.06	1200 2.97	1200 2.82	1200 2.58	1200 2.30
1300 2.62	1300 2.15	1300 1.76	1300 1.60	1300 1.72	1300 2.00	1300 2.23	1300 2.60	1300 2.81	1300 2.95	1300 3.03	1300 3.04	1300 2.98	1300 2.84	1300 2.62	1300 2.62	1300 2.15	1300 1.76	1300 1.60	1300 1.72	1300 2.00	1300 2.23	1300 2.60	1300 2.81	1300 2.95	1300 3.03	1300 3.04	1300 2.98	1300 2.84	1300 2.62
1400 3.08	1400 2.64	1400 2.14	1400 1.73	1400 1.56	1400 1.64	1400 1.91	1400 2.22	1400 2.48	1400 2.70	1400 2.88	1400 3.00	1400 3.05	1400 3.03	1400 2.92	1400 3.08	1400 2.64	1400 2.14	1400 1.73	1400 1.56	1400 1.64	1400 1.91	1400 2.22	1400 2.48	1400 2.70	1400 2.88	1400 3.00	1400 3.05	1400 3.03	1400 2.92
1500 3.40	1500 3.10	1500 2.63	1500 2.14	1500 1.74	1500 1.56	1500 1.63	1500 1.85	1500 2.12	1500 2.37	1500 2.61	1500 2.82	1500 2.99	1500 3.08	1500 3.10	1500 3.40	1500 3.10	1500 2.63	1500 2.14	1500 1.74	1500 1.56	1500 1.63	1500 1.85	1500 2.12	1500 2.37	1500 2.61	1500 2.82	1500 2.99	1500 3.08	1500 3.10
1600 3.50	1600 3.39	1600 3.06	1600 2.60	1600 2.13	1600 1.76	1600 1.59	1600 1.61	1600 1.78	1600 2.01	1600 2.25	1600 2.51	1600 2.77	1600 2.98	1600 3.12	1600 3.50	1600 3.39	1600 3.06	1600 2.60	1600 2.13	1600 1.76	1600 1.59	1600 1.61	1600 1.78	1600 2.01	1600 2.25	1600 2.51	1600 2.77	1600 2.98	1600 3.12
1700 3.33	1700 3.47	1700 3.34	1700 2.99	1700 2.54	1700 2.10	1700 1.76	1700 1.58	1700 1.56	1700 1.68	1700 1.87	1700 2.12	1700 2.41	1700 2.71	1700 2.96	1700 3.33	1700 3.47	1700 3.34	1700 2.99	1700 2.54	1700 2.10	1700 1.76	1700 1.58	1700 1.56	1700 1.68	1700 1.87	1700 2.12	1700 2.41	1700 2.71	1700 2.96
1800 2.91	1800 3.29	1800 3.40	1800 3.23	1800 2.87	1800 2.44	1800 2.03	1800 1.71	1800 1.51	1800 1.46	1800 1.53	1800 1.71	1800 1.96	1800 2.28	1800 2.61	1800 2.91	1800 3.29	1800 3.40	1800 3.23	1800 2.87	1800 2.44	1800 2.03	1800 1.71	1800 1.51	1800 1.46	1800 1.53	1800 1.71	1800 1.96	1800 2.28	1800 2.61
1900 2.28	1900 2.85	1900 3.22	1900 3.29	1900 3.10	1900 2.73	1900 2.32	1900 1.93	1900 1.61	1900 1.39	1900 1.31	1900 1.36	1900 1.52	1900 1.79	1900 2.12	1900 2.28	1900 2.85	1900 3.22	1900 3.29	1900 3.10	1900 2.73	1900 2.32	1900 1.93	1900 1.61	1900 1.39	1900 1.31	1900 1.36	1900 1.52	1900 1.79	1900 2.12
2000 1.56	2000 2.21	2000 2.78	2000 3.12	2000 3.16	2000 2.94	2000 2.58	2000 2.18	2000 1.80	2000 1.48	2000 1.25	2000 1.14	2000 1.17	2000 1.33	2000 1.58	2000 1.56	2000 2.21	2000 2.78	2000 3.12	2000 3.16	2000 2.94	2000 2.58	2000 2.18	2000 1.80	2000 1.48	2000 1.25	2000 1.14	2000 1.17	2000 1.33	2000 1.58
2100 0.84	2100 1.49	2100 2.18	2100 2.72	2100 3.00	2100 3.00	2100 2.77	2100 2.43	2100 2.06	2100 1.69	2100 1.36	2100 1.11	2100 0.98	2100 0.99	2100 1.12	2100 0.84	2100 1.49	2100 2.18	2100 2.72	2100 3.00	2100 3.00	2100 2.77	2100 2.43	2100 2.06	2100 1.69	2100 1.36	2100 1.11	2100 0.98	2100 0.99	2100 1.12
2200 0.30	2200 0.82	2200 1.51	2200 2.18	2200 2.65	2200 2.88	2200 2.85	2200 2.64	2200 2.32	2200 1.97	2200 1.61	2200 1.28	2200 1.01	2200 0.86	2200 0.84	2200 0.30	2200 0.82	2200 1.51	2200 2.18	2200 2.65	2200 2.88	2200 2.85	2200 2.64	2200 2.32	2200 1.97	2200 1.61	2200 1.28	2200 1.01	2200 0.86	2200 0.84
2300 0.09	2300 0.33	2300 0.91	2300 1.60	2300 2.20	2300 2.60	2300 2.78	2300 2.75	2300 2.56	2300 2.29	2300 1.97	2300 1.61	2300 1.27	2300 0.99	2300 0.80	2300 0.09	2300 0.33	2300 0.91	2300 1.60	2300 2.20	2300 2.60	2300 2.78	2300 2.75	2300 2.56	2300 2.29	2300 1.97	2300 1.61	2300 1.27	2300 0.99	2300 0.80

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portland Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - July 2026, 01 - 15 (UTC +09:30) (m)

WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED	
1 Jul 2026		2 Jul 2026		3 Jul 2026		4 Jul 2026		5 Jul 2026		6 Jul 2026		7 Jul 2026		8 Jul 2026		9 Jul 2026		10 Jul 2026		11 Jul 2026		12 Jul 2026		13 Jul 2026		14 Jul 2026		15 Jul 2026	
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
0000	1.04	0000	0.83	0000	0.75	0000	0.83	0000	1.06	0000	1.42	0000	1.83	0000	2.21	0000	2.52	0000	2.70	0000	2.71	0000	2.50	0000	2.08	0000	1.53	0000	0.98
0100	1.51	0100	1.19	0100	0.97	LW0010	0.81	LW0040	0.95	0100	1.18	0100	1.52	0100	1.91	0100	2.28	0100	2.59	HW0050	2.78	0100	2.79	0100	2.58	0100	2.17	0100	1.64
0200	2.09	0200	1.75	0200	1.44	0200	1.22	0200	1.13	LW0120	1.15	LW0200	1.39	0200	1.71	0200	2.07	0200	2.43	0200	2.74	0200	2.95	0200	2.96	0200	2.75	0200	2.35
0300	2.64	0300	2.36	0300	2.05	0300	1.77	0300	1.57	0300	1.47	0300	1.50	0300	1.67	0300	1.95	0300	2.30	0300	2.66	0300	2.97	0300	3.17	0300	3.18	0300	2.97
0400	3.07	0400	2.88	0400	2.64	0400	2.37	0400	2.13	0400	1.95	0400	1.85	0400	1.84	LW0310	1.94	0400	2.22	0400	2.56	0400	2.91	0400	3.22	0400	3.41	0400	3.40
0500	3.33	0500	3.24	0500	3.09	0500	2.90	0500	2.69	0500	2.49	0500	2.32	0500	2.19	LW0410	2.21	0500	2.46	0500	2.80	0500	3.15	0500	3.44	0500	3.61	0500	3.60
HW0540	3.39	0600	3.38	HW0600	3.41	0600	3.36	0600	3.13	0600	2.97	0600	2.80	0600	2.63	0600	2.47	0600	2.37	0600	2.42	0600	2.64	0600	2.97	0600	3.30	0600	3.55
				HW0640	3.42	0700	3.41	HW0700	3.41	0700	3.37	0700	3.29	0700	3.17	0700	3.02	0700	2.84	0700	2.64	0700	2.49	0700	2.69	0700	3.00	0700	3.30
						HW0730	3.40	HW0740	3.38	0800	3.38	0800	3.36	0800	3.30	0800	3.16	0800	2.95	0800	2.70	0800	2.49	0800	2.44	0800	2.59	0800	2.86
										HW0810	3.37	HW0840	3.37	0900	3.32	0900	3.37	0900	3.34	0900	3.20	0900	2.96	0900	2.64	0900	2.36	0900	2.34
																HW0920	3.36												

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - July 2026, 16 - 31 (UTC +09:30) (m)

THU 16 Jul 2026	FRI 17 Jul 2026	SAT 18 Jul 2026	SUN 19 Jul 2026	MON 20 Jul 2026	TUE 21 Jul 2026	WED 22 Jul 2026	THU 23 Jul 2026	FRI 24 Jul 2026	SAT 25 Jul 2026	SUN 26 Jul 2026	MON 27 Jul 2026	TUE 28 Jul 2026	WED 29 Jul 2026	THU 30 Jul 2026	FRI 31 Jul 2026
time 0000	ht 0.58	time 0000	ht 0.47	time 0000	ht 0.69	time 0000	ht 1.16	time 0000	ht 1.69	time 0000	ht 1.24	time 0000	ht 1.14	time 0000	ht 0.98
0100	1.14	0100	0.80	0100	0.72	0100	0.93	0100	1.33	0100	1.79	0100	2.18	0100	2.47
0200	1.86	0200	1.43	0200	1.14	0200	1.08	0200	1.25	0200	1.59	0200	1.98	0200	2.32
0300	2.59	0300	2.17	0300	1.80	0300	1.57	0300	1.51	0300	1.63	0300	1.90	0300	2.23
0400	3.20	0400	2.86	0400	2.51	0400	2.21	0400	2.02	0400	1.95	0400	2.02	0400	2.22
0500	3.58	0500	3.40	0500	3.12	0500	2.84	0500	2.61	0500	2.44	0500	2.35	0500	2.37
0600	3.69	0600	3.68	0600	3.54	0600	3.34	0600	3.13	0600	2.94	0600	2.77	0600	2.65
0700	3.53	0700	3.67	0700	3.69	0700	3.61	0700	3.47	0700	3.31	0700	3.14	0700	2.96
0800	3.15	0800	3.38	0800	3.54	0800	3.61	0800	3.59	0800	3.50	0800	3.37	0800	3.21
0900	2.59	0900	2.88	0900	3.14	0900	3.33	0900	3.45	0900	3.47	0900	3.42	0900	3.31
1000	2.00	1000	2.25	1000	2.56	1000	2.85	1000	3.08	1000	3.23	1000	3.28	1000	3.26
1100	1.64	1100	1.67	1100	1.92	1100	2.26	1100	2.58	1100	2.83	1100	2.99	1100	3.07
1200	1.67	1200	1.40	1200	1.41	1200	1.67	1200	2.02	1200	2.34	1200	2.60	1200	2.78
1300	2.04	1300	1.55	1300	1.27	1300	1.28	1300	1.52	1300	1.85	1300	2.17	1300	2.42
1400	2.54	1400	2.00	1400	1.53	1400	1.27	1400	1.27	1400	1.48	1400	1.77	1400	2.05
1500	3.02	1500	2.55	1500	2.04	1500	1.61	1500	1.36	1500	1.34	1500	1.50	1500	1.73
1600	3.36	1600	3.05	1600	2.59	1600	2.11	1600	1.72	1600	1.49	1600	1.44	1600	1.54
1700	3.50	1700	3.40	1700	3.06	1700	2.61	1700	2.17	1700	1.82	1700	1.60	1700	1.52
1800	3.36	1800	3.52	1800	3.37	1800	3.02	1800	2.59	1800	2.19	1800	1.87	1800	1.64
1900	2.96	1900	3.36	1900	3.46	1900	3.28	1900	2.93	1900	2.54	1900	2.17	1900	1.85
2000	2.36	2000	2.93	2000	3.27	2000	3.32	2000	3.12	2000	2.80	2000	2.45	2000	2.10
2100	1.67	2100	2.33	2100	2.83	2100	3.09	2100	3.11	2100	2.94	2100	2.66	2100	2.34
2200	1.01	2200	1.66	2200	2.26	2200	2.68	2200	2.89	2200	2.91	2200	2.77	2200	2.54
2300	0.56	2300	1.06	2300	1.66	2300	2.18	2300	2.53	2300	2.72	2300	2.76	2300	2.67

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - August 2026, 01 - 15 (UTC +09:30)

(m)

SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
1 Aug 2026	2 Aug 2026	3 Aug 2026	4 Aug 2026	5 Aug 2026	6 Aug 2026	7 Aug 2026	8 Aug 2026	9 Aug 2026	10 Aug 2026	11 Aug 2026	12 Aug 2026	13 Aug 2026	14 Aug 2026	15 Aug 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	0.84	LW0000	0.87	0000	1.07	0000	1.82	0000	2.21	0000	2.52	0000	2.71	0000
0100	1.15	0100	1.01	0100	1.03	LW0100	1.21	0100	1.53	0100	1.92	0100	2.29	0100
0200	1.70	0200	1.47	0200	1.33	0200	1.33	0200	1.48	LW0200	1.77	0200	2.14	0200
0300	2.35	0300	2.11	0300	1.89	0300	1.75	0300	1.72	0300	1.84	0300	2.09	0300
0400	2.93	0400	2.74	0400	2.54	0400	2.35	0400	2.21	0400	2.14	0400	2.21	0400
0500	3.34	0500	3.24	0500	3.10	0500	2.94	0500	2.77	0500	2.61	0500	2.51	0500
0600	3.51	0600	3.51	0600	3.47	0600	3.38	0600	3.26	0600	3.10	0600	2.91	0600
0700	3.44	0700	3.52	0700	3.57	0700	3.58	0700	3.55	0700	3.45	0700	3.28	0700
0800	3.12	0800	3.26	0800	3.39	0800	3.50	0800	3.58	HW0800	3.59	0800	3.50	0800
0900	2.63	0900	2.81	0900	2.98	0900	3.16	0900	3.34	0900	3.48	0900	3.52	0900
1000	2.08	1000	2.24	1000	2.44	1000	2.65	1000	2.89	1000	3.14	1000	3.32	1000
1100	1.64	1100	1.71	1100	1.86	1100	2.08	1100	2.34	1100	2.65	1100	2.95	1100
1200	1.50	1200	1.38	1200	1.40	1200	1.55	1200	1.80	1200	2.11	1200	2.48	1200
1300	1.70	1300	1.41	1300	1.22	1300	1.19	1300	1.34	1300	1.62	1300	1.99	1300
1400	2.14	1400	1.76	1400	1.41	1400	1.17	1400	1.11	1400	1.25	1400	1.56	1400
1500	2.63	1500	2.28	1500	1.88	1500	1.49	1500	1.20	LW1500	1.11	1500	1.25	1500
1600	3.05	1600	2.78	1600	2.42	1600	2.00	1600	1.58	1600	1.26	1600	1.15	1600
1700	3.31	1700	3.17	1700	2.89	1700	2.51	1700	2.07	1700	1.63	1700	1.30	1700
1800	3.36	1800	3.36	1800	3.22	1800	2.93	1800	2.52	1800	2.05	1800	1.60	1800
1900	3.15	1900	3.32	1900	3.34	1900	3.18	1900	2.86	1900	2.43	1900	1.94	1900
2000	2.71	2000	3.03	2000	3.22	2000	3.24	2000	3.06	2000	2.72	2000	2.26	2000
2100	2.13	2100	2.53	2100	2.86	2100	3.06	2100	3.07	2100	2.89	2100	2.53	2100
2200	1.53	2200	1.95	2200	2.36	2200	2.69	2200	2.88	2200	2.89	2200	2.71	2200
2300	1.07	2300	1.41	2300	1.84	2300	2.24	2300	2.56	2300	2.75	2300	2.77	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - August 2026, 16 - 31 (UTC +09:30)

(m)

SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON
16 Aug 2026	17 Aug 2026	18 Aug 2026	19 Aug 2026	20 Aug 2026	21 Aug 2026	22 Aug 2026	23 Aug 2026	24 Aug 2026	25 Aug 2026	26 Aug 2026	27 Aug 2026	28 Aug 2026	29 Aug 2026	30 Aug 2026	31 Aug 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
LW0000	0.92	0000	1.24	0000	1.66	0000	2.05	0000	2.37	0000	2.59	0000	2.71	0000	2.72
	LW0040	1.14													
0100	1.08	0100	1.16	0100	1.42	0100	1.78	0100	2.13	0100	2.42	0100	2.63	0100	2.75
			LW0110	1.41	LW0130	1.71								HW0130	2.76
0200	1.62	0200	1.48	0200	1.52	0200	1.72	LW0200	2.01	0200	2.32	0200	2.57	0200	2.76
														LW0230	2.29
0300	2.32	0300	2.10	0300	1.96	0300	1.95	0300	2.08	0300	2.30	0300	2.55	0300	2.76
															HW0320
0400	3.00	0400	2.78	0400	2.58	0400	2.43	0400	2.37	0400	2.42	0400	2.57	0400	2.76
															HW0350
0500	3.51	0500	3.35	0500	3.17	0500	2.98	0500	2.80	0500	2.69	0500	2.68	0500	2.75
															HW0420
0600	3.77	0600	3.70	0600	3.58	0600	3.42	0600	3.22	0600	3.02	0600	2.86	0600	2.78
															HW0450
0700	3.71	0700	3.78	HW0700	3.75	0700	3.65	0700	3.49	0700	3.29	0700	3.07	0700	2.87
															HW0510
0800	3.35	0800	3.54	0800	3.64	0800	3.63	0800	3.54	HW0800	3.40	0800	3.20	0800	2.97
															HW0850
0900	2.77	0900	3.05	0900	3.26	0900	3.38	0900	3.39	0900	3.33	0900	3.21	0900	3.02
															HW0910
1000	2.07	1000	2.41	1000	2.71	1000	2.93	1000	3.06	1000	3.10	1000	3.08	1000	3.00
															HW1020
1100	1.41	1100	1.74	1100	2.09	1100	2.39	1100	2.62	1100	2.78	1100	2.87	1100	2.89
															HW1050
1200	1.02	1200	1.20	1200	1.51	1200	1.85	1200	2.15	1200	2.40	1200	2.61	1200	2.75
															HW1120
1300	1.08	1300	0.99	1300	1.14	1300	1.42	1300	1.73	1300	2.03	1300	2.32	1300	2.58
															HW1150
1400	1.51	1400	1.19	1400	1.10	LW1400	1.21	1400	1.45	1400	1.73	1400	2.05	1400	2.37
															HW1220
1500	2.14	1500	1.70	1500	1.41	1500	1.31	1500	1.38	1500	1.57	1500	1.84	1500	2.15
															HW1250
1600	2.77	1600	2.31	1600	1.92	1600	1.66	1600	1.55	1600	1.59	1600	1.73	1600	1.97
															HW1320
1700	3.29	1700	2.87	1700	2.46	1700	2.11	1700	1.87	1700	1.75	1700	1.74	1700	1.85
															HW1350
1800	3.61	1800	3.29	1800	2.91	1800	2.55	1800	2.23	1800	1.99	1800	1.84	LW1800	1.80
															HW1420
1900	3.63	1900	3.50	1900	3.21	1900	2.89	1900	2.56	1900	2.25	1900	1.99	1900	1.81
															HW1450
2000	3.35	2000	3.43	2000	3.31	2000	3.08	2000	2.80	2000	2.49	2000	2.17	2000	1.88
															HW1520
2100	2.85	2100	3.10	2100	3.17	2100	3.10	2100	2.92	2100	2.67	2100	2.37	2100	2.03
															HW1550
2200	2.25	2200	2.61	2200	2.84	2200	2.94	2200	2.91	2200	2.76	2200	2.53	2200	2.22
															HW1620
2300	1.66	2300	2.10	2300	2.43	2300	2.66	2300	2.77	2300	2.77	2300	2.64	2300	2.42
															HW1650
															HW1730
															HW1800
															HW1830
															HW1910
															HW1940
															HW2030
															HW2110
															HW2210
															HW2310
															HW2410
															HW2510
															HW2610
															HW2710
															HW2810
															HW2910
															HW3010
															HW3110

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - September 2026, 01 - 15 (UTC +09:30)

(m)

TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE
1 Sep 2026	2 Sep 2026	3 Sep 2026	4 Sep 2026	5 Sep 2026	6 Sep 2026	7 Sep 2026	8 Sep 2026	9 Sep 2026	10 Sep 2026	11 Sep 2026	12 Sep 2026	13 Sep 2026	14 Sep 2026	15 Sep 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	1.19	0000	1.50	0000	1.92	0000	2.32	0000	2.64	0000	2.83	0000	2.88	0000
LW0020	1.17	LW0040	1.39											LW0010
0100	1.28	0100	1.40	0100	1.69	0100	2.08	0100	2.46	0100	2.76	0100	2.94	0100
				LW0120	1.67	LW0140	2.00			HW0130	2.96			
0200	1.74	0200	1.66	0200	1.74	0200	2.00	0200	2.35	0200	2.70	0200	2.96	0200
										HW0250	3.18			
0300	2.41	0300	2.22	0300	2.12	0300	2.16	0300	2.36	0300	2.65	0300	2.95	0300
										LW0320	2.64			
0400	3.07	0400	2.88	0400	2.70	0400	2.56	0400	2.54	0400	2.66	0400	2.89	0400
0500	3.54	0500	3.43	0500	3.26	0500	3.07	0500	2.88	0500	2.78	0500	2.81	0500
0600	3.74	0600	3.73	0600	3.65	0600	3.49	0600	3.26	0600	3.00	0600	2.80	0600
HW0610	3.75	HW0620	3.77	HW0650	3.77									
0700	3.63	0700	3.74	0700	3.77	0700	3.70	0700	3.52	0700	3.23	0700	2.89	0700
0800	3.23	0800	3.44	0800	3.61	0800	3.67	0800	3.59	0800	3.36	0800	3.00	0800
0900	2.62	0900	2.90	0900	3.18	0900	3.39	0900	3.46	0900	3.35	0900	3.07	0900
1000	1.93	1000	2.24	1000	2.58	1000	2.91	1000	3.14	1000	3.21	1000	3.08	1000
1100	1.30	1100	1.57	1100	1.93	1100	2.33	1100	2.70	1100	2.96	1100	3.03	1100
1200	0.90	1200	1.04	1200	1.35	1200	1.76	1200	2.21	1200	2.62	1200	2.90	1200
LW1230	0.85													
1300	0.91	LW1300	0.81	1300	0.95	1300	1.30	1300	1.75	1300	2.25	1300	2.70	1300
1400	1.33	1400	0.99	1400	0.87	1400	1.02	1400	1.39	1400	1.90	1400	2.44	1400
1500	1.97	1500	1.51	1500	1.15	1500	1.03	1500	1.20	1500	1.61	1500	2.15	1500
1600	2.63	1600	2.15	1600	1.68	1600	1.34	1600	1.23	1600	1.43	1600	1.87	1600
1700	3.17	1700	2.74	1700	2.25	1700	1.79	1700	1.48	1700	1.41	1700	1.64	1700
1800	3.52	1800	3.19	1800	2.74	1800	2.25	1800	1.82	1800	1.54	1800	1.51	1800
HW1840	3.61													
1900	3.60	1900	3.44	1900	3.09	1900	2.64	1900	2.16	1900	1.75	1900	1.50	1900
2000	3.41	2000	3.44	2000	3.26	2000	2.91	2000	2.46	2000	2.00	2000	1.62	2000
2100	2.97	2100	3.19	2100	3.22	2100	3.04	2100	2.71	2100	2.28	2100	1.83	2100
2200	2.42	2200	2.77	2200	2.98	2200	3.01	2200	2.85	2200	2.54	2200	2.13	2200
2300	1.89	2300	2.31	2300	2.64	2300	2.84	2300	2.88	2300	2.75	2300	2.46	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - September 2026, 16 - 30 (UTC +09:30)

(m)

	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED		
	16 Sep 2026	17 Sep 2026	18 Sep 2026	19 Sep 2026	20 Sep 2026	21 Sep 2026	22 Sep 2026	23 Sep 2026	24 Sep 2026	25 Sep 2026	26 Sep 2026	27 Sep 2026	28 Sep 2026	29 Sep 2026	30 Sep 2026		
	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	
	0000	1.75	0000	2.08	0000	2.37	0000	2.59	0000	2.74	0000	2.79	0000	2.75	0000	2.65	
LW0040	1.66																
0100	1.68	LW0100	1.90	0100	2.18	0100	2.44	0100	2.65	0100	2.79	0100	2.85	0100	2.85	0100	2.85
				LW0130	2.14												
0200	1.96	0200	1.99	0200	2.15	LW0200	2.37	0200	2.60	0200	2.78	0200	2.92	0200	3.00	0200	3.06
						LW0210	2.59						HW0240	2.94			
0300	2.52	0300	2.37	0300	2.34	0300	2.43	0300	2.59	0300	2.77	0300	2.94	HW0300	3.08	0300	3.19
													LW0350	2.76			
0400	3.14	0400	2.91	0400	2.73	0400	2.64	0400	2.66	0400	2.76	0400	2.90	0400	3.05	0400	3.19
0500	3.60	0500	3.40	0500	3.16	0500	2.96	0500	2.83	0500	2.79	0500	2.82	0500	2.91	0500	3.04
0600	3.82	0600	3.68	0600	3.48	0600	3.25	0600	3.03	0600	2.86	0600	2.75	0600	2.72	0600	2.76
HW0610	3.83	HW0630	3.72	HW0650	3.58	0700	3.40	0700	3.19	0700	2.95	0700	2.73	0700	2.55	0700	2.44
0800	3.41	0800	3.48	0800	3.46	0800	3.37	0800	3.22	HW0800	3.01	0800	2.75	0800	2.47	0800	2.21
0900	2.86	0900	3.04	0900	3.14	0900	3.17	0900	3.12	0900	3.00	0900	2.78	0900	2.47	0900	2.21
1000	2.20	1000	2.48	1000	2.70	1000	2.85	1000	2.92	1000	2.91	1000	2.80	1000	2.56	1000	2.22
1100	1.58	1100	1.90	1100	2.20	1100	2.46	1100	2.67	1100	2.78	1100	2.80	1100	2.68	1100	2.42
1200	1.12	1200	1.43	1200	1.76	1200	2.09	1200	2.39	1200	2.64	1200	2.78	1200	2.80	1200	2.68
LW1250	0.96	1300	1.17	1300	1.46	1300	1.79	1300	2.14	1300	2.47	1300	2.74	1300	2.90	1300	2.93
1400	1.17	1400	1.20	1400	1.36	1400	1.62	1400	1.94	1400	2.30	1400	2.65	1400	2.93	1400	3.11
1500	1.67	1500	1.51	1500	1.51	1500	1.62	LW1500	1.84	1500	2.15	1500	2.50	1500	2.86	1500	3.15
1600	2.27	1600	2.00	1600	1.84	1600	1.80	1600	1.87	1600	2.05	1600	2.33	1600	2.68	1600	3.03
1700	2.84	1700	2.52	1700	2.25	1700	2.07	1700	1.99	1700	2.02	1700	2.17	1700	2.43	1700	2.77
1800	3.26	1800	2.95	1800	2.65	1800	2.36	1800	2.15	1800	2.04	1800	2.04	1800	2.17	1800	2.41
1900	3.48	1900	3.23	1900	2.95	1900	2.63	1900	2.33	1900	2.09	1900	1.96	1900	1.94	1900	2.04
HW1920	3.50	2000	3.45	2000	3.11	2000	2.83	2000	2.51	2000	2.19	2000	1.94	2000	1.78	2000	1.74
2100	3.20	2100	3.22	2100	3.13	2100	2.93	2100	2.66	2100	2.34	2100	2.02	2100	1.76	2100	1.59
2200	2.81	2200	2.96	2200	3.01	2200	2.92	2200	2.74	2200	2.50	2200	2.21	2200	1.91	2200	1.65
2300	2.41	2300	2.65	2300	2.80	2300	2.85	2300	2.78	2300	2.63	2300	2.43	2300	2.19	2300	1.93

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portland Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - October 2026, 01 - 15 (UTC +09:30) (m)

THU 1 Oct 2026	FRI 2 Oct 2026	SAT 3 Oct 2026	SUN 4 Oct 2026	MON 5 Oct 2026	TUE 6 Oct 2026	WED 7 Oct 2026	THU 8 Oct 2026	FRI 9 Oct 2026	SAT 10 Oct 2026	SUN 11 Oct 2026	MON 12 Oct 2026	TUE 13 Oct 2026	WED 14 Oct 2026	THU 15 Oct 2026
time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000	time 0000
ht 1.71	ht 2.12	ht 2.53	ht 2.84	ht 3.03	ht 3.08	ht 3.00	ht 2.83	ht 2.60	ht 2.36	ht 2.13	ht 1.92	ht 1.79	ht 1.79	ht 1.91
LW0020 1.67	LW0100 1.95	LW0140 2.24	LW0220 2.51	LW0350 2.68	HW0040 3.11	HW0200 3.24	HW0240 3.37	HW0310 3.50	HW0330 3.63	HW0400 3.75	HW0410 3.83	HW0440 3.87	HW0500 3.85	LW0010 1.91
0100 1.72	0200 2.09	0200 2.25	0300 2.46	0300 2.52	0100 3.11	0100 3.17	0200 3.33	0200 3.35	0300 3.49	0300 3.58	0400 3.61	0400 3.78	0400 3.78	0100 1.99
0200 2.12	0300 2.55	0300 2.46	0400 2.88	0400 2.71	0200 3.08	0300 3.19	0300 3.36	0400 3.43	0400 3.61	0500 3.61	0500 3.78	0500 3.87	0600 3.76	0200 2.39
0300 2.75	0400 3.13	0400 2.88	0500 3.33	0500 3.03	0300 2.98	0400 3.02	0400 3.23	0500 3.15	0500 3.38	0600 3.20	0600 3.46	0600 3.66	0600 3.76	0300 2.95
0400 3.36	0500 3.60	0500 3.33	0600 3.63	0600 3.32	0400 2.81	0500 2.74	0500 2.93	0600 2.69	0600 2.94	0700 3.20	0700 3.46	0700 3.66	0700 3.76	0400 3.45
0500 3.78	0600 3.90	0600 3.83	0700 3.70	0700 3.46	0500 2.67	0600 2.48	0600 2.51	0700 2.14	0700 2.33	0800 3.20	0800 3.46	0800 3.66	0800 3.76	0500 3.74
0600 3.90	0700 3.78	0700 3.70	0800 3.54	0800 3.44	0600 2.64	0700 2.33	0700 2.13	0800 1.71	0800 1.71	0900 1.28	0900 1.46	0900 1.76	0900 1.76	0600 3.75
0700 3.70	0800 3.46	0800 3.54	0900 3.18	0900 3.26	0700 2.70	0800 2.32	0800 1.93	0900 1.62	0900 1.20	1000 0.95	1000 0.94	1000 0.78	1000 0.78	0700 3.51
0800 3.22	0900 2.91	0900 3.18	1000 2.66	1000 2.94	0800 2.77	0900 2.41	0900 1.94	1000 1.62	1000 1.20	1100 1.02	1100 0.78	1100 0.78	1100 0.78	0800 3.02
0900 2.54	1000 2.24	1000 2.66	1100 2.08	1100 2.53	0900 2.83	1000 2.41	1000 1.94	1100 1.62	1100 1.20	1200 1.02	1200 0.78	1200 0.78	1200 0.78	0900 2.39
1000 1.79	1100 1.58	1100 2.08	1200 1.56	1200 2.10	1000 2.88	1100 2.41	1100 1.94	1200 1.62	1200 1.20	1300 1.02	1300 0.78	1300 0.78	1300 0.78	1000 1.75
1100 1.12	1200 1.04	1200 1.56	1300 1.16	1300 1.72	1100 2.91	1200 2.41	1200 1.94	1300 1.62	1300 1.20	1400 1.02	1400 0.78	1400 0.78	1400 0.78	1100 1.23
1200 0.67	1300 0.72	1300 1.16	1400 1.44	1400 1.44	1200 2.88	1300 2.41	1300 1.94	1400 1.62	1400 1.20	1500 1.02	1500 0.78	1500 0.78	1500 0.78	1200 0.95
1300 0.59	1400 0.80	1400 1.16	1500 1.33	1500 1.33	1300 2.78	1400 2.41	1400 1.94	1500 1.62	1500 1.20	1600 1.02	1600 0.78	1600 0.78	1600 0.78	1300 1.01
1400 0.95	1500 1.22	1500 1.11	1600 1.49	1600 1.44	1400 3.08	1500 2.41	1500 1.94	1600 1.62	1600 1.20	1700 1.02	1700 0.78	1700 0.78	1700 0.78	1400 1.39
1500 1.59	1600 1.82	1600 1.49	1700 1.98	1700 1.72	1500 2.39	1600 2.41	1600 1.94	1700 1.62	1700 1.20	1800 1.02	1800 0.78	1800 0.78	1800 0.78	1500 1.99
1600 2.31	1700 2.42	1700 1.98	1800 2.45	1800 2.06	1600 2.16	1700 2.42	1700 2.42	1800 1.62	1800 1.20	1900 1.02	1900 0.78	1900 0.78	1900 0.78	1600 2.62
1700 2.93	1800 2.92	1800 2.45	1900 2.83	1900 2.39	1700 1.71	1800 2.42	1800 2.42	1900 1.62	1900 1.20	2000 1.02	2000 0.78	2000 0.78	2000 0.78	1700 3.16
1800 3.39	1900 3.28	1900 2.83	2000 3.10	2000 2.69	1800 1.85	1900 2.42	1900 2.42	2000 1.62	2000 1.20	2100 1.02	2100 0.78	2100 0.78	2100 0.78	1800 3.51
1900 3.62	2000 3.43	2000 3.10	2100 3.22	2100 2.93	1900 1.85	2000 2.42	2000 2.42	2100 1.62	2100 1.20	2200 1.02	2200 0.78	2200 0.78	2200 0.78	1900 3.63
2000 3.59	2100 3.37	2100 3.22	2200 3.18	2200 3.05	2000 1.97	2100 2.42	2100 2.42	2200 1.62	2200 1.20	2300 1.02	2300 0.78	2300 0.78	2300 0.78	2000 3.52
2100 3.31	2200 3.13	2200 3.18	2300 3.03	2300 3.08	2100 2.18	2200 2.42	2200 2.42	2300 1.62	2300 1.20	2400 1.02	2400 0.78	2400 0.78	2400 0.78	2100 3.20
2200 2.90	2300 2.82	2300 3.03			2200 2.46	2300 2.46	2300 2.46	2400 1.62	2400 1.20	2500 1.02	2500 0.78	2500 0.78	2500 0.78	2200 2.80
2300 2.47					2300 2.75	2400 2.46	2400 2.46	2500 1.62	2500 1.20	2600 1.02	2600 0.78	2600 0.78	2600 0.78	2300 2.43

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portland Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - October 2026, 16 - 31 (UTC +09:30) (m)

FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT
16 Oct 2026	17 Oct 2026	18 Oct 2026	19 Oct 2026	20 Oct 2026	21 Oct 2026	22 Oct 2026	23 Oct 2026	24 Oct 2026	25 Oct 2026	26 Oct 2026	27 Oct 2026	28 Oct 2026	29 Oct 2026	30 Oct 2026	31 Oct 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
0000	2.15	0000	2.39	0000	2.61	0000	2.87	0000	2.91	0000	2.84	0000	2.43	0000	1.94
LW0040	2.06													LW0010	1.93
0100	2.06	0100	2.24	0100	2.45	0100	2.65	0100	2.81	0100	2.92	0100	2.73	0100	2.04
		LW0120	2.22	LW0140	2.40			HW0130	3.03					LW0100	2.11
0200	2.26	0200	2.28	0200	2.40	0200	2.57	0200	2.75	0200	2.90	0200	3.03	0200	2.50
				LW0220	2.56			HW0200	3.16	0200	3.28	0200	3.38	0200	2.31
0300	2.71	0300	2.55	0300	2.51	0300	2.57	0300	2.69	0300	2.83	0300	3.12	0300	2.77
				LW0330	2.67			HW0230	3.31	0300	3.29	0300	3.46	0300	2.90
0400	3.20	0400	2.96	0400	2.78	0400	2.69	0400	2.67	0400	2.72	0400	2.82	0400	2.39
										HW0320	3.63	0400	3.76	0400	3.81
0500	3.55	0500	3.33	0500	3.09	0500	2.89	0500	2.74	0500	2.64	0500	2.68	0500	3.64
HW0550	3.67							LW0530	2.62	0500	2.62	0500	2.35	0500	3.76
0600	3.67	0600	3.52	0600	3.32	0600	3.09	0600	2.85	0600	2.62	0600	2.44	0600	3.87
		HW0610	3.53	HW0640	3.38					0600	2.62	0600	2.35	0600	3.89
0700	3.54	0700	3.49	0700	3.38	0700	3.19	0700	2.94	0700	2.65	0700	2.35	0700	3.76
				HW0710	3.20	HW0750	2.98			LW0730	2.33			HW0520	3.89
0800	3.18	0800	3.26	0800	3.26	0800	3.17	0800	2.98	0800	2.69	0800	2.34	0800	3.87
								LW0810	1.97	0800	2.34	0800	1.98	0800	3.87
0900	2.66	0900	2.87	0900	2.99	0900	3.03	0900	2.95	0900	2.74	0900	2.42	0900	3.87
										LW0920	1.21	0900	1.23	0900	3.87
1000	2.08	1000	2.39	1000	2.64	1000	2.80	1000	2.85	1000	2.77	1000	2.55	1000	3.87
										HW1010	2.78	1000	1.30	1000	3.87
1100	1.56	1100	1.91	1100	2.25	1100	2.53	1100	2.72	1100	2.78	1100	2.70	1100	3.87
												LW1020	0.59	1100	3.87
1200	1.21	1200	1.54	1200	1.90	1200	2.26	1200	2.56	1200	2.76	1200	2.84	1200	3.87
LW1240	1.12													1200	3.87
1300	1.12	1300	1.35	1300	1.66	1300	2.02	1300	2.39	1300	2.70	1300	2.92	1300	3.87
		LW1320	1.34	LW1350	1.59					HW1310	2.93			1300	3.87
1400	1.33	1400	1.41	1400	1.59	1400	1.88	1400	2.23	1400	2.59	1400	2.92	1400	3.87
				LW1430	1.85					HW1420	3.17			1400	3.87
1500	1.78	1500	1.69	1500	1.71	1500	1.86	1500	2.12	1500	2.45	1500	2.81	1500	3.87
						LW1550	2.08			HW1500	3.41	1500	3.15	1500	3.87
1600	2.33	1600	2.10	1600	1.98	1600	1.97	1600	2.08	1600	2.32	1600	2.63	1600	3.87
										HW1540	3.63			1600	3.87
1700	2.85	1700	2.55	1700	2.30	1700	2.15	1700	2.12	1700	2.22	1700	2.43	1700	3.87
										HW1620	3.81			1700	3.87
1800	3.24	1800	2.94	1800	2.62	1800	2.37	1800	2.21	1800	2.17	1800	2.24	1800	3.87
										HW1700	3.92			1800	3.87
1900	3.45	1900	3.20	1900	2.90	1900	2.59	1900	2.33	1900	2.17	1900	2.10	1900	3.87
HW1920	3.48	HW1950	3.30							HW1740	3.94			1900	3.87
2000	3.46	2000	3.30	2000	3.07	2000	2.78	2000	2.50	2000	2.25	2000	2.07	2000	3.87
				HW2040	3.11					HW1830	3.86			2000	3.87
2100	3.28	2100	3.24	2100	3.11	2100	2.91	2100	2.67	2100	2.42	2100	2.18	2100	3.87
				HW2140	2.94					HW1920	3.77			2100	3.87
2200	2.98	2200	3.06	2200	3.04	2200	2.94	2200	2.80	2200	2.62	2200	2.40	2200	3.87
										HW2030	1.94			2200	3.87
2300	2.66	2300	2.82	2300	2.91	2300	2.92	2300	2.87	2300	2.79	2300	2.67	2300	3.87
										LW2100	1.82	2100	1.97	2100	3.87
										LW2140	1.71			2300	3.87
										LW2220	1.65			2300	3.87
										LW2300	1.67	2300	1.74	2300	3.87
										LW2330	1.77			2300	3.87

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal		
Latitude:	11° 16' 8" S	Client:	NT Portand Marine Pty Ltd
Longitude:	130° 14' 19" E	Project:	P426393

Predicted Tide Heights - November 2026, 01 - 15 (UTC +09:30)
(m)

SUN		MON		TUE		WED		THU		FRI		SAT		SUN		MON		TUE		WED		THU		FRI		SAT		SUN			
1 Nov 2026	2 Nov 2026	3 Nov 2026	4 Nov 2026	5 Nov 2026	6 Nov 2026	7 Nov 2026	8 Nov 2026	9 Nov 2026	10 Nov 2026	11 Nov 2026	12 Nov 2026	13 Nov 2026	14 Nov 2026	15 Nov 2026	16 Nov 2026	17 Nov 2026	18 Nov 2026	19 Nov 2026	20 Nov 2026	21 Nov 2026	22 Nov 2026	23 Nov 2026	24 Nov 2026	25 Nov 2026	26 Nov 2026	27 Nov 2026	28 Nov 2026	29 Nov 2026			
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht		
0000	2.64	0000	2.95	0000	3.13	0000	3.22	0000	3.22	0000	3.15	0000	3.04	0000	2.89	0000	2.70	0000	2.47	0000	2.23	0000	2.08	LW0000	2.05	0000	2.16	0000	2.34		
0100 LW0140	2.36	0100	2.68	0100	2.95	0100	3.14	HW0030	3.26	0100	3.32	0100	3.32	0100	3.26	0100	3.14	0100	2.95	0100	2.69	0100	2.42	0100	2.22	LW0020	2.12	0100	2.15	LW0100	2.21
	2.28	0200	2.29	0200	2.45	0200	2.72	0200	2.98	0200	3.18	0200	3.34	HW0130	3.35	0200	3.49	0200	3.38	0200	3.19	0200	2.93	0200	2.64	0200	2.42	0200	2.31	0200	2.31
		LW0240	2.39	0300	2.40	0300	2.50	0300	2.73	0300	2.98	0300	3.21	0300	3.40	0300	3.57	HW0200	3.46	0300	3.66	0300	3.65	0300	3.38	0300	3.13	0300	2.86	0300	2.64
0300	2.51	0300	2.40	LW0350	2.42	0300	2.73	0300	2.98	0300	3.21	0300	3.40	0300	3.57	HW0300	3.66	0300	3.66	0300	3.56	0300	3.38	0300	3.13	0300	2.86	0300	2.64		
0400	2.91	0400	2.58	0400	2.42	0400	2.47	0400	2.67	0400	2.92	0400	3.16	0400	3.39	0400	3.59	0400	3.71	HW0400	3.73	0400	3.65	0400	3.50	0400	3.38	0400	3.28	0400	3.03
0500	3.29	0500	2.88	0500	2.52	0500	2.32	LW0510	2.31	0500	2.33	0500	2.76	0500	3.02	0500	3.27	0500	3.49	0500	3.64	0500	3.68	HW0430	3.70	0500	3.52	0500	3.34	0500	3.34
0600	3.51	0600	3.12	0600	2.70	0600	2.32	LW0650	2.03	0600	2.10	0600	2.24	0600	2.48	0600	2.76	0600	3.03	0600	3.28	0600	3.46	0600	3.54	HW0530	3.56	0600	3.54	0600	3.45
0700	3.55	0700	3.25	0700	2.85	0700	2.41	LW0750	2.03	0700	2.03	0700	1.75	0700	1.88	0700	2.12	0700	2.41	0700	2.72	0700	3.00	0700	3.21	0700	3.34	0700	3.37		
0800	3.37	0800	3.25	0800	2.95	0800	2.53	0800	2.09	0800	1.70	0800	1.44	0800	1.37	0800	1.49	0800	1.74	0800	2.04	0800	2.37	0800	2.69	0800	2.94	0800	3.11		
0900	3.03	0900	3.13	0900	2.99	0900	2.67	0900	2.25	0900	1.79	0900	1.39	0900	1.11	0900	1.04	0900	1.15	0900	1.40	0900	1.72	0900	2.07	0900	2.41	0900	2.70		
1000	2.55	1000	2.88	1000	2.97	1000	2.82	1000	2.49	1000	2.05	1000	1.58	1000	1.17	1000	0.90	LW1020	0.82	1000	0.93	1000	1.17	1000	1.49	1000	1.85	1000	2.20		
1100	2.02	1100	2.54	1100	2.87	1100	2.94	1100	2.76	1100	2.42	1100	1.97	1100	1.51	1100	1.10	LW1100	0.78	1100	0.84	1100	0.86	1100	1.08	1100	1.39	1100	1.74		
1200	1.54	1200	2.17	1200	2.67	1200	2.97	1200	3.02	1200	2.83	1200	2.47	1200	2.03	1200	1.59	1200	1.21	1200	0.97	1200	0.88	1200	0.94	LW1120	0.83	LW1150	0.94	1200	1.41
1300	1.19	1300	1.83	1300	2.43	1300	2.90	1300	3.16	1300	3.18	1300	2.98	1300	2.64	1300	2.23	1300	1.83	1300	1.48	1300	1.24	1300	1.13	LW1220	1.10	LW1250	1.29	1300	1.29
LW1350	1.07	1400	1.58	1400	2.19	1400	2.75	1400	3.16	1400	3.38	1400	3.38	1400	3.19	1400	2.88	1400	2.53	1400	2.17	1400	1.84	1400	1.59	1400	1.44	1400	1.42		
1400	1.07	LW1440	1.50	1500	1.99	1500	2.55	1500	3.04	1500	3.39	1500	3.57	1500	3.57	1500	3.42	1500	3.15	1500	2.85	1500	2.52	1500	2.20	1500	1.93	1500	1.76		
1500	1.25	1500	1.50	1500	1.99	1500	2.55	1500	3.04	1500	3.39	1500	3.57	1500	3.57	1500	3.42	1500	3.15	1500	2.85	1500	2.52	1500	2.20	1500	1.93	1500	1.76		
1600	1.66	1600	1.64	LW1600	1.89	1600	2.34	1600	2.83	1600	3.24	1600	3.54	1600	3.71	1600	3.72	1600	3.61	1600	3.39	1600	3.13	1600	2.82	1600	2.50	1600	2.22		
1700	2.16	1700	1.93	1700	1.93	1700	2.17	LW1750	2.10	1700	2.56	1700	3.34	1700	3.60	1700	3.76	1700	3.80	1700	3.73	1700	3.55	1700	3.31	1700	3.01	1700	2.70		
1800	2.64	1800	2.29	1800	2.10	1800	2.10	1800	2.30	1800	2.64	1800	3.01	1800	3.33	1800	3.57	1800	3.73	1800	3.79	1800	3.75	1800	3.60	1800	3.38	1800	3.10		
1900	3.04	1900	2.65	1900	2.34	1900	2.16	1900	2.15	1900	2.30	1900	2.60	1900	2.93	1900	3.21	1900	3.44	1900	3.60	1900	3.69	1900	3.67	1900	3.55	1900	3.35		
2000	3.32	2000	2.96	2000	2.61	2000	2.34	LW1920	2.13	2000	2.16	2000	2.12	2000	2.23	2000	2.47	2000	3.02	2000	3.24	2000	3.40	2000	3.50	2000	3.51	2000	3.42		
2100	3.43	2100	3.18	2100	2.88	2100	2.58	2100	2.33	2100	2.15	LW2020	2.10	2100	2.15	LW2100	2.07	2100	2.31	2100	2.55	2100	2.79	2100	3.17	2100	3.29	2100	3.31		
2200	3.36	2200	3.28	2200	3.09	2200	2.84	2200	2.59	2200	2.37	2200	2.18	2200	2.06	2200	2.05	2200	2.16	2200	2.35	2200	2.57	2200	2.78	2200	2.96	2200	3.08		
2300	3.18	2300	3.25	2300	3.20	2300	3.07	2300	2.89	2300	2.70	2300	2.50	2300	2.29	2300	2.11	2300	2.02	2300	2.06	2300	2.21	2300	2.41	2300	2.63	2300	2.81		
				HW2340	3.23																	LW2320	2.03								

Datum: LAT (~2.47 m < MSL)

Time Zone: UTC +09:30 hours Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd moetide present: 16:10 19/Nov/2025 by montserrat.landerio (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - November 2026, 16 - 30 (UTC +09:30)

(m)

MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON
16 Nov 2026	17 Nov 2026	18 Nov 2026	19 Nov 2026	20 Nov 2026	21 Nov 2026	22 Nov 2026	23 Nov 2026	24 Nov 2026	25 Nov 2026	26 Nov 2026	27 Nov 2026	28 Nov 2026	29 Nov 2026	30 Nov 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	2.55	0000	2.72	0000	2.86	0000	2.97	0000	2.96	0000	2.66	0000	2.32	0000
0100	2.36	0100	2.53	0100	2.69	0100	2.83	0100	2.97	0100	3.14	0100	3.29	0100
LW0130	2.31													
0200	2.32	0200	2.40	0200	2.53	0200	2.66	0200	2.82	0200	3.00	0200	3.22	0200
		LW0210	2.39											
0300	2.49	0300	2.42	0300	2.42	0300	2.49	0300	2.61	0300	2.78	0300	3.01	0300
				LW0320	2.41									
0400	2.80	0400	2.60	0400	2.44	0400	2.36	0400	2.37	0400	2.48	0400	2.69	0400
				LW0420	2.34									
0500	3.10	0500	2.84	0500	2.58	0500	2.34	0500	2.18	0500	2.16	0500	2.27	0500
						LW0550	2.12							
0600	3.29	0600	3.05	0600	2.75	0600	2.43	0600	2.12	0600	1.90	0600	1.84	0600
HW0630	3.32													
0700	3.31	HW0700	3.15	0700	2.88	0700	2.54	0700	2.16	0700	1.80	0700	1.53	0700
0800	3.17	0800	3.12	HW0800	2.95	0800	2.65	0800	2.27	0800	1.85	0800	1.43	0800
0900	2.89	0900	2.98	0900	2.93	0900	2.75	0900	2.43	0900	2.02	0900	1.55	0900
1000	2.52	1000	2.74	1000	2.84	HW1000	2.80	1000	2.61	1000	2.28	1000	1.83	1000
1100	2.11	1100	2.44	1100	2.68	1100	2.79	1100	2.77	1100	2.58	1100	2.23	1100
1200	1.76	1200	2.13	1200	2.47	1200	2.72	1200	2.86	1200	2.85	1200	2.67	1200
1300	1.55	1300	1.89	1300	2.26	1300	2.61	1300	2.87	1300	3.03	1300	3.04	1300
LW1330	1.51													
1400	1.53	LW1400	1.76	1400	2.09	1400	2.45	1400	2.80	1400	3.08	1400	3.26	1400
1500	1.71	1500	1.80	LW1500	2.01	1500	2.32	1500	2.66	1500	3.01	1500	3.31	1500
1600	2.04	1600	1.98	1600	2.05	1600	2.23	1600	2.51	1600	2.85	1600	3.19	1600
1700	2.43	1700	2.25	1700	2.19	1700	2.23	1700	2.38	1700	2.64	1700	2.97	1700
1800	2.81	1800	2.56	1800	2.39	1800	2.31	LW1800	2.31	1800	2.43	1800	2.67	1800
1900	3.10	1900	2.85	1900	2.63	1900	2.46	1900	2.34	1900	2.30	1900	2.39	1900
2000	3.26	2000	3.07	2000	2.87	2000	2.66	2000	2.46	2000	2.29	2000	2.21	2000
HW2020	3.28													
2100	3.26	HW2100	3.17	2100	3.04	2100	2.88	2100	2.68	2100	2.45	2100	2.23	2100
2200	3.14	2200	3.13	2200	3.10	2200	3.04	2200	2.92	2200	2.72	2200	2.45	2200
2300	2.94	2300	3.02	2300	3.07	2300	3.10	2300	3.10	2300	3.01	2300	2.81	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.landro (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portland Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - December 2026, 01 - 15 (UTC +09:30)

(m)

TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE
1 Dec 2026	2 Dec 2026	3 Dec 2026	4 Dec 2026	5 Dec 2026	6 Dec 2026	7 Dec 2026	8 Dec 2026	9 Dec 2026	10 Dec 2026	11 Dec 2026	12 Dec 2026	13 Dec 2026	14 Dec 2026	15 Dec 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time
0000	2.78	0000	3.03	0000	3.20	0000	3.30	0000	3.28	0000	2.21	0000	2.06	0000
0100	2.38	0100	2.68	0100	2.95	0100	3.15	0100	3.30	0100	3.33	0100	2.04	0100
0200	2.08	0200	2.31	0200	2.62	0200	2.90	0200	3.13	0200	3.30	0200	2.43	0200
0300	2.05	0300	2.05	0300	2.27	0300	2.56	0300	2.84	0300	3.09	0300	2.87	0300
0400	2.28	0400	2.03	0400	2.02	0400	2.20	0400	2.46	0400	2.74	0400	3.24	0400
0500	2.61	0500	2.20	0500	1.96	0500	1.92	0500	2.06	0500	2.30	0500	3.44	0500
0600	2.91	0600	2.45	0600	2.06	0600	1.81	0600	1.75	0600	1.85	0600	3.40	0600
0700	3.11	0700	2.68	0700	2.24	0700	1.86	0700	1.60	0700	1.51	0700	3.40	0700
0800	3.22	0800	2.88	0800	2.45	0800	2.01	0800	1.63	0800	1.36	0800	3.05	0800
0900	3.18	0900	3.02	0900	2.67	0900	2.25	0900	1.81	0900	1.43	0900	2.28	0900
1000	2.97	1000	3.06	1000	2.87	1000	2.52	1000	2.10	1000	1.68	1000	2.09	1000
1100	2.64	1100	2.95	1100	2.99	1100	2.80	1100	2.46	1100	2.07	1100	1.61	1100
1200	2.26	1200	2.74	1200	2.99	1200	3.00	1200	2.82	1200	2.51	1200	1.28	1200
1300	1.90	1300	2.47	1300	2.87	1300	3.08	1300	3.09	1300	2.94	1300	1.18	1300
1400	1.64	1400	2.21	1400	2.70	1400	3.04	1400	3.22	1400	3.24	1400	1.45	1400
1500	1.58	1500	2.01	1500	2.50	1500	2.92	1500	3.20	1500	3.37	1500	1.76	1500
1600	1.76	1600	1.96	1600	2.33	1600	2.74	1600	3.10	1600	3.35	1600	2.29	1600
1700	2.12	1700	2.09	1700	2.25	1700	2.56	1700	2.91	1700	3.22	1700	2.83	1700
1800	2.55	1800	2.36	1800	2.32	1800	2.44	1800	2.69	1800	2.98	1800	3.25	1800
1900	2.95	1900	2.68	1900	2.51	1900	2.45	1900	2.52	1900	2.70	1900	3.49	1900
2000	3.27	2000	3.00	2000	2.77	2000	2.60	2000	2.51	2000	2.51	2000	3.51	2000
2100	3.45	2100	3.23	2100	3.02	2100	2.83	2100	2.65	2100	2.51	2100	3.34	2100
2200	3.45	2200	3.36	2200	3.21	2200	3.06	2200	2.88	2200	2.68	2200	3.03	2200
2300	3.29	2300	3.34	2300	3.32	2300	3.23	2300	3.11	2300	2.94	2300	2.66	2300

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)

Mermaid Shoal Tide Height Predictions 2026 (CST & LAT Datum)

Location:	Mermaid Shoal	Client:	NT Portand Marine Pty Ltd
Latitude:	11° 16' 8" S	Project:	P426393
Longitude:	130° 14' 19" E		

Predicted Tide Heights - December 2026, 16 - 31 (UTC +09:30)

(m)

WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU	FRI	SAT	SUN	MON	TUE	WED	THU
16 Dec 2026	17 Dec 2026	18 Dec 2026	19 Dec 2026	20 Dec 2026	21 Dec 2026	22 Dec 2026	23 Dec 2026	24 Dec 2026	25 Dec 2026	26 Dec 2026	27 Dec 2026	28 Dec 2026	29 Dec 2026	30 Dec 2026	31 Dec 2026
time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht	time	ht
0000	2.47	0000	2.62	0000	2.78	0000	2.97	0000	3.17	0000	3.33	0000	3.41	0000	3.48
0100	2.18	0100	2.32	0100	2.47	0100	2.67	0100	2.92	0100	3.19	0100	3.39	0100	3.45
LW0200	2.04	0200	2.08	0200	2.18	0200	2.36	0200	2.61	0200	2.92	0200	3.24	0200	3.48
0300	2.14	0300	2.00	0300	1.97	0300	2.06	0300	2.26	0300	2.56	0300	2.93	0300	3.30
0400	2.42	0400	2.14	0400	1.93	0400	1.85	0400	1.93	0400	2.16	0400	2.51	0400	2.94
0500	2.74	0500	2.41	0500	2.07	0500	1.80	0500	1.68	0500	1.76	0500	2.02	0500	2.43
0600	3.00	0600	2.67	0600	2.30	0600	1.92	0600	1.60	0600	1.45	0600	1.54	0600	1.85
0700	3.14	0700	2.88	0700	2.53	0700	2.11	0700	1.69	0700	1.33	0700	1.16	0700	1.28
0800	3.15	0800	2.99	0800	2.71	0800	2.33	0800	1.88	0800	1.40	0800	1.01	0800	0.85
0900	2.99	0900	2.99	0900	2.84	0900	2.55	0900	2.13	0900	1.63	0900	1.10	0900	0.70
1000	2.71	1000	2.86	1000	2.87	1000	2.73	1000	2.42	1000	1.96	1000	1.41	1000	0.85
1100	2.34	1100	2.63	1100	2.79	1100	2.82	1100	2.68	1100	2.35	1100	1.86	1100	1.26
1200	1.98	1200	2.34	1200	2.63	1200	2.82	1200	2.86	1200	2.72	1200	2.37	1200	1.84
1300	1.71	1300	2.08	1300	2.44	1300	2.73	1300	2.98	1300	2.84	1300	2.48	1300	1.94
LW1400	1.61	1400	1.91	1400	2.26	1400	2.59	1400	2.89	1400	3.11	1400	3.18	1400	3.03
1500	1.72	1500	1.89	1500	2.15	1500	2.47	1500	2.80	1500	3.11	1500	3.34	1500	3.41
1600	2.01	1600	2.03	1600	2.16	1600	2.38	1600	2.68	1600	3.01	1600	3.34	1600	3.58
1700	2.41	1700	2.31	1700	2.30	1700	2.37	1700	2.57	1700	2.86	1700	3.21	1700	3.55
1800	2.83	1800	2.66	1800	2.54	1800	2.47	1800	2.68	1800	2.99	1800	3.36	1800	3.69
1900	3.18	1900	3.01	1900	2.83	1900	2.67	1900	2.54	1900	2.72	1900	3.04	1900	3.41
2000	3.38	2000	3.26	2000	3.11	2000	2.92	2000	2.70	2000	2.52	2000	2.48	2000	2.65
2100	3.38	2100	3.36	2100	3.30	2100	3.16	2100	2.94	2100	2.67	2100	2.43	2100	2.35
2200	3.22	2200	3.28	2200	3.33	2200	3.31	2200	3.18	2200	2.93	2200	2.61	2200	2.31
2300	2.94	2300	3.07	2300	3.20	2300	3.31	2300	3.33	2300	3.20	2300	2.92	2300	2.54

Datum: LAT (-2.47 m < MSL)

Time Zone: UTC +09:30 hours	Data Source: /data/jobs/P341916/P426393_2026_Predictions/MermaidShoal_Tides/moetide_elevation_mermaid_shoal.nc
© RPS AAP Consulting Pty Ltd	moetide_present: 16:10 19/Nov/2025 by montserrat.lander (mermaidshoal_2026_0_elevation_TideTable.pdf)